

Nomads and Pastoralism: Linkage with Biodiversity Conservation in Upper Mustang, Nepal

M.R. Pandey and M. Chetri

King Mahendra Trust for Nature Conservation-ACAP/UMBCP

Abstract

In this paper we attempted to present a glimpse of linkage between the nomads living in the pasture of Upper Mustang and their role in biodiversity conservation. The nomadic rangeland in Upper Mustang region harbors endangered Trans-Himalayan species like snow leopard, lynx, brown bear, Tibetan wild ass, Tibetan argali etc. with a variety of birds. It also harbors various medicinal species endemic to the region. Nomads are completely dependent on the livestock for the sustenance of their livelihood. There are only nine nomads families residing in rangelands of Upper Mustang, among them three families are resided in Lo-Manthang Panga area whereas four families in Dhalung/Chhujung area and one each in Lauchhe/Dhaknak area and Ghami Lekh area. Seasonal grazing is a customary practice for all nomadic families. Interview with the nomads (N=9) reveals that the grass availability in the pastures is in decreasing trend. They reveal increase in the number of snow leopard and blue sheep whereas the population of Tibetan Gazelle is in decreasing trend. Rijiphuwa and Pika are the two sites in Dhalung/Chhujung area where snow leopard and grey wolf are the main problem creators. In Lauchhe area (summer pasture) and Dhaknak area (summer pasture), grey wolf and snow leopard are the main problem animals. In comparison to other pasture, the families of Dhalung/Chhujung area faces higher number of livestock losses. Nomads use their own traditional measures to protect their livestock against predators. Large flocks of goats/sheep often come from Tibet to Dhalung/Chhujung area which increases the pressure during the summer and is also the root cause for the deterioration of the pasture. The daily activities of Tibetan nomads have created disturbances resulting adverse impacts on the biodiversity. During summer, the habitat of Tibetan gazelle and Tibetan wild ass is badly affected.


Key words: Biodiversity, conservation, nomad, pastoralism, Upper Mustang

Introduction

The rapidly changing lifestyle with the new discovery of the luxury items from the developed world affects the lifestyle of the people throughout the universe. Nomads are also not the exception. The number of families is decreasing day by day and they started settling in certain villages. In Upper Mustang no data is available but interview with the nomads reveal that there were more than 30 families only in the Dhalung/Chhujung area before 25-30 years. At present there are only nine nomads families residing in rangelands in Upper

Mustang, among them 3 families¹ are residing in Lo-Manthang Panga area whereas 4 families in Dhalung/Chhujung area. Other 2 families are found one each in Chhonup and Ghami Village Development Committees (VDC) as well. They are locally known as 'Dhokpa'. Nomads are completely dependent on the livestock for the sustenance of their livelihood. They normally lead a migratory life, moving to somewhat warmer regions within a short territory during the winter months. Their existing traditional herding

¹ One family is recently splitted into two.



Map 1. Map of study area

system and livestock keeping have both positive and negative aspect in overall biodiversity conservation in this ecologically fragile ecosystem.

These high and very dry mountainous areas are extremely fragile and contain some very important high altitude biodiversity characteristics of the Trans-Himalayan Plateau. The area has very dry and limited quality pasture exists in isolated pockets which are the important habitat of rare and endangered mammals. These pastures are also important source for the livelihood of the local people and particularly the nomadic families. The endangered animal species like snow leopard, lynx, brown bear, and variety of birds' species with unique floral species of this region have added more splendors to this region.

King Mahendra Trust for Nature Conservation (KMTNC)-Annapurna Conservation Area Project (ACAP)/Upper Mustang Biodiversity Conservation Project (UMBCP) has been working in this area with aims to link biodiversity and cultural heritage conservation with tourism management. Therefore this paper is based on the study carried out for the biodiversity conservation plan and as a part of conservation area management plan preparation of this area.

This paper presents a glimpse of the linkage between the nomads living in the north-eastern, western, north-western and south-western area of Upper Mustang and livestock and their role in biodiversity conservation.

Biodiversity of Upper Mustang

The richness of some very important high altitude flora and fauna, especially of Tibetan desert steppe habitat has increased the global importance of Upper Mustang. The animal species like snow leopard, lynx, brown bear,

red fox, gray wolf, blue sheep, Tibetan wild ass, Tibetan argali, Himalayan marmot with a variety of birds like snow partridge, Tibetan snow cock, Tibetan sandgrouse, chukor partridge, Himalayan griffon, choughs etc. glorify the high altitude faunal diversity. Moreover, *Poa mustangensis*, *Clematis bractolata*, *Thymus linearis*, *Corydalis*, *Delphinium*, *Meconopsis* etc. are some of the plant species unique for the region. All the dhokpa residing areas are the important areas in terms of biodiversity, especially rangeland biodiversity. In all the four dhokpa areas, the carnivores like snow leopard, lynx, red fox, gray wolf, and Himalayan brown bear, and their prey species such as blue sheep, marmots, wooly hare and pika harbor. Additionally in Dhalung/Chhujung area Tibetan wild ass, Tibetan Gazelle and Tibetan argali can also be seen. The highly endangered and commercially valuable Tibetan antelope or chiru is also suspected to occur within this area (Shah, 2001). The land also harbors rare birds such as Tibetan sandgrouse and is important migratory corridor for majority of the migratory birds visiting Nepal. Considering flora, the most dominant significant plant species in the areas are *Kobressia* sp., *Carex* sp., *Lonicera obovata*, *Ephedra gerardiana*, *Spiraea arcuata*, *Cotoneaster* sp., *Caragana* sp., *Berberis* sp., *Artemisia* sp. etc. Those areas are also important for the medicinal plants as well, such as *Androsace* sp., *Delphinium* sp., *Dracocephalum heterophyllum*, *Gentiana* sp., *Thymus linearis*, *Lancea tibetica*, *Potentilla fruticosa*, *Phlomis rotata*, *Anaphalis triplinervis*, *Primula* sp. etc. The areas where nomads reside were explored by the KMTNC-ACAP/UMBCP team and Dhalung/Chhujung area is confined as one of the hot biodiversity hot spot.

Socio-economic conditions

The main traditional occupation of nomads is rearing and herding yaks and goats/sheep, they are also involved in some other income generation activities such as trade of livestock, sale of milk and milk products, wool, pashmina etc. Most of the nomads can understand *Loba* and Tibetan language and only few of them can read and write Tibetan language. But most of them, even cannot speak national language, Nepali. The educational level among them is meager. Only few boys are studying in Lo-Manthang and India. Quite interestingly, one boy is studying in Kathmandu with a financial support from a German and he is the only educated nomad who has completed schooling (Grade X). Nomads do not show their interest in getting Nepalese citizenship because only few have that certificate. They are of the opinion that they never faced any discomfort and snag so that most of them are satisfied with their nomadic life. They can manage all of their needs without any problem. According to them, they have been practicing this kind of life from 5-6 generations ago but nobody knows about the exact time period.

Annual shifting pattern

The movements of all nomads, throughout the year, are limited within a short territory, particularly during the summer and winter months. They normally shift from highland to lowland during the winter months in order to protect from the severe cold and snowfall. The seasonal shifting pattern varies mostly in Dhalung/Chhujung area, while in other areas that is not as diverse as the family number in Dhalung/Chhujung area. The movement is summarized in table 1, as given below.

Pasture management and livestock keeping and herding system

Seasonal grazing is a customary practice for

all dhokpa families. The pasturelands are categorized into summer and winter pastures. The grazing in winter pasture is restricted during summer months. But in case of Dhalung/Chhujung area, winter grazing can be started only after the consent of three camps whereas no rule has been made to graze in summer pastures. They normally use guard dogs while shepherding and spend all the day in the pastures. Normally, yaks are kept free in the high pasturelands whereas goats/sheep are driven out to graze during the day in the pastures and taken back to *goth* during the night. In practice, VDCs do not have control over any rules and regulation for nomad families and they decide themselves about their grazing and movements.

The herders from Tibet can easily come to Nepal and graze their livestock even after the enactment of agreement between Nepalese and Chinese governments in 1983. But this agreement does not seem practical for Tibetan herders. Moreover, the Nepalese are not allowed to graze in the Tibetan pasturelands due to the tight security in Tibet. Grazing pressure is increasing day-by-day due to this one-way movement from the Tibet. Nomads are facing problems because of the encroachment. The taxation system for grazing is flexible and depends on the mercy of the people of the concerning village. Even in some cases particularly in Panga area, the people of Chhonup VDC sometimes impose taxes for the outsider nomads of Panga area. Normally grazing is confined within the concerning pastures but in winter, sometimes nomads go to the nearby possible pastures, as for instance nomads of Panga area usually graze their livestock within the same area but during winter they go to Lo-Ghyakar area, Tsarang VDC. Likewise, the dhokpa of Lauchhe/Dhaknak area also go to Ghami Lekh area during winter season for grazing

for few days.

Nomads generally prefer yaks, goats/sheep and horses for rearing. The composition of livestock owned by nomads is given in table 2. They also graze others people livestock from the village, in return they get money and kinds by bartering with the livestock owners.

Yak number was more in 20 years back, as there was more availability of grasses in the highland pastures. But the number of yaks is decreasing in the recent years. More care is needed to rear the yak than any other livestock. The young ones are often preyed upon by the snow leopard. The number of goats/sheep has somewhat been steady in the past 20 years; except for fluctuations in their numbers in eight years back due to the increase in the cases of predation. Horses are generally raised as the symbolic representation of their status and are also used for transportation and carrying goods.

According to nomads, the grass availability in the pastures is in decreasing trend, for instance, a nomad family in Dhalung/Chhujung area had 15-20 *goths* in the past but at present it declined up to only 3 *goths*, which reflects shortage of grasses ultimately resulting the decrease in livestock rearing. All the nomads have a same voice regarding the decrease in grass availability, i.e. less rainfall/snowfall in comparison to the past. Only few families have open *goths*. Most of them do not have *goths* and livestock are generally kept openly near their camps and that are confined in only few places. As a result, there is a high risk of predation all the time. According to nomads of Dhalung/Chhujung, the number of blue sheep, snow leopard has increased whereas that of Tibetan gazelle has decreased. *Juniperus* trees have been uprooted and cut down for timber and fuel wood as a result there is a decrease in the

rainfall in the area. Their belief of deterioration of pastures is the annoyance of God. The quantity and quality of grasses have positive effects on the health condition of livestock as well. Both quantity and quality of grasses are not so good as compared to that in the past, so the health status of livestock is average. They are keen to herd their livestock throughout the year even under the adverse circumstances. While shepherding, they have to be vigilant all the time. For that, they watch their animals from a vantage point and often whistle, ring bell, make noise and carry sling while tending their livestock. Fathers and sons often share their works on rotational basis while shepherding. Some go to watch the yaks and some for goats/sheep. During the cloudy days, nomads move along with the herds because the visibility is very poor at that time and there is a high chance of predation and accident. The guard dogs play a very important role during such circumstances.

Livestock mortality faced by nomads

Depredation can be observed mostly during winter months particularly during December to March where proper guarding is lacking because of severe cold and livestock also become very weak due to lack of forage. Predation generally occurs more when the less availability of grasses tends livestock to the rocky and cliff areas, in the habitats of predators. In Dhalung/Chhujung area, there are two sites Rijiphuwa and Pika, where snow leopard and wolf are the problem creators. Number of losses of livestock in Dhalung/Chhujung area ranges from 5-11 every year. In the upper part of Kara pasture of Panga area, snow leopard is the major problem carnivore, mostly during February and March. But the wolf mostly attacks during summer months. In Lauchhe/Dhaknak

area, the wolf problem can be seen in Lauchhe pasture in summer whereas that of snow leopard can be seen in Dhaknak pasture during winter months. There are fewer problems in Ghami Lekh pasture, where the cases are sporadic.

Among nine nomads' families, the families of Dhalung/Chhujung area are facing higher number of livestock losses. Within the last 18 months, they have lost 113 goats/sheep and 6 yaks. Next to them are the families of Panga, which lost 8 yaks followed by a family of Lauchhe / Dhaknak- 7 yaks. Five yaks were reported lost by a family of Ghami Lekh as shown in table 3.

Among the total lost, the lost by lack of forage is high (35.25%) followed by predation (34.53%) and disease (30.22%) (Table 4). So it seems that all the above-mentioned causes of mortality are more or less similar. No disease or natural disaster has occurred in the past in the pasturelands used by nomads but the cases of diseases are now increasing due to lack of veterinary care.

But in case of predation, out of 48 total killed yaks and goats/sheep (see table 5), the predation is high due to snow leopard (56.25%) followed by gray wolf (33.33%) and golden eagle (10.42%). Golden eagle killed only the young of goats/sheep. Sometimes eagle also succeed in killing the old and weak ones.

In the present study, the cases of mortality due to other reasons like severe cold/snow and other predators like lynx, jackal and feral dogs were not reported. Nomads of Dhalung/Chhujung area use their own traditional measures to protect their livestock against predators such as, guarding by man and watch dog, erection of scarecrow, use of slingshot, firing and smoking and use of colorful clothes. Rest of the nomads are not aware of control measures but they believe on

proper guarding and use of sling shot and make louder voice. Most of them are of the opinion that depredation of livestock is in decreasing trend. They generally face problems from diseases like foot and mouth disease, respiratory infection, diarrhoea, dysentery and scabies. Due to the lack of veterinary services they often complain about this issue. In case of predation, the wolf problem is lessening as the wolf can move freely across the open Nepal-China border and are also being killed by the Tibetans. But the snow leopard problem is unchanged.

Issues and challenges

It is a challenging task to conserve overall biodiversity of Upper Mustang. There are several components that are responsible to affect the biodiversity. As nomads are also an important entity of this area and their activities are directly related to the biodiversity, it is quite necessary to give focus on their interaction with the nature. Large flocks of goats/sheep often come from Tibet to Dhalung/Chhujung area. Nearly 25-30 *goths* come from Tibet every year and each *goth* comprises approximately 350-400 goats/sheep and yak. Such type of activity is creating grazing pressure on the limited pastureland. Nomads claim this as the main reason for the deterioration of pastures. During the summer months, one can see the nomads coming from Tibet and the grazing areas seem a miniature settlement in Dhalung/Chhujung area. The daily activities of those outsider nomads have creating adverse impacts on the biodiversity of that area. They cut the *Caragana* sp. and *Juniperus* tree as firewood and also invasive for the free movement of wildlife in the area. During the summer, the movement of Tibetan gazelle and Tibetan wild ass is badly affected. Till April, the activities of those herbivores can

Table 1. The shifting pattern of nomads in Upper Mustang

SN	Dhokpa of	Place		Remarks
		Summer	Winter	
1	Panga area, Lo-Manthang	Dhiple and Dhema- March to September Sabade- October to November	Sumdha and Ngilu Karchung- December to February	3 families
2	Dhalung/Chhujung area, Lo-Manthang	Yarja- Last 15 days of April to 1 st 15 days of October Dhalung- May to July (1 family) Jhyangwater- September to October (1 family)	Mapcha- October (Last 15 days) and May Marku Kyunker- November to February Riji Phuwa- March and 1 st 15 days of April	4 families
3	Lauchhe/Dhaknak area, Chhonup	Lauchhe/Dhaknak- Last 15 days of March to 1 st 15 days of October	Chhujung- December to February)	1 family
4	Ghami Lekh area, Ghami	Mikchyung and Kyu- April to October	Lha Kyap, Ghami Lekh area- Last 15 days of October to 1 st 15 days of March Lha Kyap- November to March	1 family

Table 2. Total number of nomads' livestock

SN	Type of livestock	Total Number of livestock in				Total
		Panga area	Dhalung/Chhujung ,,	Lauchhe/Dhaknak ,,	Ghami Lekh ,,	
1	Yak	134	126	200	60	520
2	Goat/Sheep	150	700	90	70	1010
3	Horse	5	9	2	2	18
	Total	289	835	292	132	1548

Table 3: Number of nomads' livestock reported lost due to different reasons

Type of livestock	Dhalung/Chhujung area					Panga ,,		Lauchhe/ Dhaknak ,,		Ghami Lekh ,,	Total
	D	LF	P			D	P		P		
			SL	WF	GE		SL	SL	WF	SL	
Yak	0	4	0	2	0	1	7	4	3	5	26
Goat/Sheep	41	45	11	11	5	0	0	0	0	0	113
Total	41	49	11	13	5	1	7	4	3	5	139

Note: D= Disease; LF= Lack of forage; P= Predators; SL= Snow leopard; WF= Wolf; and GE= Golden eagle

Table 4. Total Number of perceived livestock losses (case wise).

SN	Type of mortality	Total
1	Lack of forage	49 (35.25%)
2	Predation	48 (34.53%)
3	Disease	42 (30.22%)
	Total	139

Table 5. Total number of perceived predation

SN	Problem predator	Number lost
1	Snow leopard	27 (56.25%)
2	Gray wolf	16 (33.3%)
3	Golden eagle	5 (10.42%)
	Total	48

be seen satisfactorily but after May to till October it is difficult to watch their movement. As Nepalese nomads are very keen to follow their own traditional rules and regulation, it is quite interesting to note that the biodiversity of nomads' residing areas are not adversely affected. The main impacts on biodiversity are uprooting of *Caragana* sp., cutting of few juniper shrubs and trees and collection of huge amount of dung. More than half of the animal dung is burnt as fuel and few are sold to the villagers that minimize the soil nutrition of the pasturelands. The health condition of range-land is also affected due to over grazing. All the activities of nomads of Tibet are the key issue to be addressed. If there encroachment continues, more negative impacts will definitely be seen in the future and if the ecosystem of this area cannot be considered on time, problems will occur in the future as well.

Conclusion

The present study has revealed some facts on the existing nomadic life and their interaction with livestock. As livestock rearing is the main occupation of nomads, grazing in pasturelands and the daily activities directly affect the biodiversity of the area. In all nomads' areas, there is a regular practice of collection of *Caragana* sp. and other plant species as firewood and collecting desired shrubs in desired quantity has been difficult

for them. The mode of using these plants is also one of the major demands of shrubs and *Juniperus* trees. The predation, lack of forage and diseases are the problems faced by the nomads and it is right time to take initiative to mitigate those problems by different measures such as conservation awareness, systematized herding practices, promoting infrastructure development like predator proof corral construction, water holes, promoting veterinary care and so on. Till now, nomadism is not considered as a problem for the biodiversity conservation but the encroachment by the Tibetan herders and nomads are the major issues of concern. Their interferences directly creating the grazing pressure on Nepalese pasturelands and even the free movement of wildlife.

Acknowledgements

We are grateful to KMTNC-ACAP/UMBCP for getting the opportunity to work in Upper Mustang. Thanks are due to Rangers Mr. Amar Gurung, Mr. Basu Dev Neupane, Mr. Heera Bahadur Chhetri and Mr. Chhimi Rinjin Gurung, Secretary of Conservation Area Management Committee, Lo-Manthang for collecting information.

References

- Shah, K.B. 2001. Preliminary survey of biodiversity in Upper Mustang. UMBCP Research Report Series 4.
- UMBCP, Reports. 2001-2005.