BANANA BEER



Banana beer is a weak alcoholic beverage that is popular throughout Africa. It is made by fermenting bananas with a cereal flour (often sorghum flour). It is sweet and slightly hazy with a shelf life of several days under correct storage conditions. The processing method and ratio of ingredients used varies widely from country to country and with personal taste. In Kenya, banana beer, made from sorghum or millet flour, is known as *urwaga*. In Uganda, banana beer is known as *lubisi*. This technical brief describes one traditional method, and suggests ways in which the hygiene and safety of the product can be improved.

PRACTICAL ACTION

Technology challenging poverty

Ingredients

Ripe bananas Boiled water Roast ground cereal

Raw material preparation

Only ripe bananas (*Musa* species) should be used to make the beer as these have a high sugar content, which is necessary for the fermentation. Over-ripe bananas should not be used as they may spoil the flavour of the beer. Unripe bananas should be left to ripen before they can be used. Ripening can be speeded up by warming the fruit. During the rainy season, unripe bananas can be left to ripen laid on a hurdle over the fire where the cooking is done. During the dry season bananas can be ripened by making a pit in the ground, covering the sides of the pit with green banana leaves, packing the bananas into the pit and then covering them with banana leaves and earth. On one side of the pit a little ditch should be dug for a fire so that warmth and smoke can enter the pit. This takes about six days.

The bananas should then be peeled. If the peels cannot be removed by hand the bananas are not sufficiently ripe and should be left for longer.

Processing

The first step is the preparation of the banana juice. It is important to obtain a high yield of clear banana juice that is not spoiled by browning or contaminated by spoilage micro-organisms. Ensure that the vessels used for pulping the banana and extracting the juice are clean before use.

Knead the bananas until they are soft and pulpy. Use a stiff grass to help knead and squash the banana pulp and to extract the juice. The pulp residue will remain in the grass. Pour off the extracted juice into a large clean bucket or similar container. This banana juice is non-alcoholic and can be diluted and drunk at this stage if desired.

Add clean boiled water to the extracted juice (one volume of water for three volumes of banana juice). It is necessary to dilute the banana juice so that the concentration of soluble solids is low enough for the yeast to ferment the juice. Grind the cereal (sorghum or millet) and lightly roast it over an open fire. Add the roast cereal (1 part cereal to 12 parts juice) to the diluted banana juice. Cover the bucket with a clean lid and leave in a warm place to ferment for 18 to 24 hours. The ground cereal improves the colour and flavour of the beer.

After fermentation the beer is filtered through a sterilised cotton cloth.

Packaging and storage

Packaging is usually only required to keep the product for its relatively short shelf life. Clean glass or plastic bottles should be used. The product should be kept in a cool place away from direct sunlight.

Practical Action, The Schumacher Centre for Technology & Development Bourton Hall, Bourton-on-Dunsmore, Rugby, Warwickshire CV23 9QZ, UK Tel: +44 (0)1926 634400 Fax: +44 (0)1926 634401 E-mail: infoserv@practicalaction.org.uk Web: www.practicalaction.org Intermediate Technology Development Group Ltd Patron HRH - The Prince of Wales, KG, KT, GCB

Company Reg. No 871954, England Reg. Charity No 247257 VAT No 241 5154 92

Banana beer

Hygiene and quality assurance

Banana beer is made from raw material that does not undergo any heating or cooking at any stage of the process. The banana pulp is an excellent substrate for microbial growth – both of the desirable yeasts and the non-desirable spoilage bacteria. The fermentation is brought about by natural yeasts that are present on the banana. Heating or boiling the raw material would kill these natural yeasts and spoil the traditional flavour of the beer. It is essential that strict attention is paid to cleanliness of the equipment and processing area and to personal hygiene to avoid contamination of the beer with other bacteria that may form acid rather than alcohol.

It is best to sterilise the equipment prior to use with boiling water. Chlorinated water can be used to clean the equipment, but this is not recommended as the chlorine can affect the fermentation.

Flow diagram

Raw materials	Ripe bananas
↓ Peel ↓	Peel by hand
Remove residue ↓	Use grass to knead or squeeze out the juice. The residue will remain
Mix with water	The water: banana juice ratio should be 1:3
Mix with cereal flour	Mix with ground and roasted cereals to local taste. For sorghum the ratio should be 1:12
Ferment ↓	In plastic container. Leave to ferment for 18 to 24 hours.
Filter	Through cotton cloth
Pack ↓	In one-litre plastic bottles with cork stoppers or equivalent
Store	

Improved method for banana beer

The process can be made more hygienic and the quality of product improved by following a typical method for making a fermented beverage. This involves the preparation of a wort (which is a boiled starter substrate), addition of a commercial source of yeast, fermentation under controlled conditions (time and temperature) followed by pasteurisation to stop the fermentation. The product made by this improved method will have a different taste and appearance to the 'live' beer produced by the traditional method. The improved beer can be bottled and stored and will be consistent from one batch to the next.

Equipment required

Beer making does not require any specialist equipment. All equipment used should be of foodgrade and should be thoroughly cleaned before use.

Knives Filter bags (cotton cloth) Fermentation vessel (plastic bucket) Practical Action

Banana beer

Brew it Yourself

General suppliers of brewing equipment

Note: This is a selective list of suppliers and does not imply endorsement by Practical Action.

Youngs Home Brew - Wholesale suppliers of brewing equipment Cross Street, Bradley Bilston, West Midlands WV14 8DL. United Kingdom Tel: +44 (0)1902 353352 Fax: +44 (0)1902 354852 Email: <u>enquiries@youngshomebrew.co.uk</u> Website: http://www.youngshomebrew.co.uk/

EasyBrew 4 Enterprise Park 86 Parsonage Barn Lane Ringwood Hampshire BH24 1PZ United Kingdom Tel: +44 (0)1425 479972 Fax: +44 (0)1425 479972 Email: info@easybrew.co.uk Website: www.easybrew.co.uk **Practical Action**

Unit 4 Parkside, Potters Way Temple Farm, Southend on Sea Essex, SS2 5SJ United Kingdom Tel: +44 (0)1702 614422 Email: <u>orders@esuasion.co.uk</u> Website: <u>http://www.brew-it-yourself.co.uk/</u>

References and further reading

Grape Wine, Practical Action Technical Brief Banana Beer, <u>http://www.xs4all.nl/~westher/recepten/BANANA%20BEER.htm</u> <u>Traditional Foods: Processing for Profit</u>, Edited by Peter Fellows, ITDG Publications 1997.

Useful organisations and contacts

C.T.A P.O. Box 380 6700 AJ Wageningen The Netherlands Telephone: +31 (0) 317 467100 Fax: +31 317 460 067 E-mail: <u>cta@cta.int</u> Website: <u>http://www.cta.int/</u> FAO Viale delle Terme di Caracalla 00153 Rome, Italy Tel: (+39) 06 57051 Fax: (+39) 06 570 53152 E-mail: FAO-HQ@fao.org Website: http://www.fao.org/

Useful internet sites

Horticulture and Landscape Architecture, Purdue University <u>http://www.hort.purdue.edu/newcrop/morton/banana.html</u> Bioversity International: Bananas - processing and marketing. <u>http://bananas.bioversityinternational.org/content/view/70/100/lang,en/</u>

Practical Action The Schumacher Centre for Technology and Development Bourton-on-Dunsmore Rugby, Warwickshire, CV23 9QZ United Kingdom Tel: +44 (0)1926 634400 Fax: +44 (0)1926 634401 E-mail: <u>inforserv@practicalaction.org.uk</u> Website: <u>http://www.practicalaction.org/</u>

This document was produced by Dr. S Azam Ali for Practical Action in March 2008. Dr. S Azam-Ali is a consultant in food processing and nutrition with over 15 years experience of working with small-scale processors in developing countries.