

# INDEX

## GENERAL

- Absconding, 42, 54, 55, 121, 149, 151, 160, 168, 173, 185, 190, 194, 199, 207, 236, 242, 245, 246, 253, 255  
Acacia, 59, 213  
Acarine, 60, 185, 188, 190, 195, 208  
Acarine mite, 208, 218  
Accessibility, 30, 93  
Acetylantromedol, 20, 21  
Acidic taste, 158  
Acidity, 152  
Adaptation, 31  
Adlakha, R.L., 94  
Aegle mar, eros, 103  
Afforestation programme, 189  
Afghanistan, 44, 60, 193, 256  
Africa, 21, 25, 26  
    North, 43  
'Africanized' bees, 24, 185, 254  
Aggressiveness, 167, 245  
Agitated bees, 153  
Agricultural crops, 43, 86, 185  
Agricultural industry, 174  
Agricultural output, 222  
Agriculture, 59, 91, 94, 97, 169, 183, 189, 222  
Agro-climatic belts, 157, 159  
Agro-climatic zones, 93, 95, 96, 98  
Agronomic practices, 69, 75  
Ahmad, R., 114, 211, 226  
Ainul-asl, 213  
Akhröt, 99  
Akashmuni, 103  
Alfalfa, 41, 71, 115, 116, 211, 223  
Allopatric distribution, 40  
Alluvial soil, 164  
Almond, 116, 211, 212, 223  
Alpine type, climate, 155  
Alpotov, W.W., 44  
Altitude, 21, 53, 155–57, 159, 163, 182, 183  
    foraging behaviour and, 85–87  
    and honeybees, 23–24  
America, 24, 25, 59, 211  
American foulbrood, 190  
Amino acid, 115, 146, 223  
Amitraz, 140  
Anatolian plateau, 18  
Andaman Islands, 46  
Andes, 17, 19  
Andhra Pradesh, 46  
Andromedotoxin, 20, 21  
Angkor Wat, 239  
Animal husbandry, 169  
Anon, 113  
Antenna, 44  
Antibiotics, 152  
Ants, 188, 209  
Anyium, 146  
Aomori Prefecture, 235  
Apiaries, 95, 151, 153, 154, 169, 176, 222  
    extension/demonstration, 175  
    migration, 59  
Apiculture, 91–94, 96, 97, 133ff, 153, 165, 173, 178, 181, 182, 206  
    development programme, 178  
    equipment, 167  
    in Bhutan, 163ff  
    in Nepal, 149ff  
    industry, 188  
    instructors, 169  
    profitability in, 177  
    regions, 174  
    training, 169  
Apitherapy, 257  
Apple(s), 57, 72, 78–80, 94, 96, 116, 196, 211, 212, 223  
    orchards, 186  
pollination, 75–76, 94

- Apricot, 116, 186, 211, 212  
 Arbutin, 20  
 Areekul, S., 241  
 Arid, and semi-arid provinces, 193  
 Aroma, 171  
 Artificial insemination, 246  
 Aru, 100, 102  
 ASEAN, 176  
 Ash, 213  
 Ashy drongos, 54  
 Asia, 25, 237, 254, 256  
     honey-producing in, 187  
 Asian hive bee, 42  
 Asian pollinators, 237  
 Asle-amir, 213  
 Asparagus, 71  
 Assam, 46  
 Atmospheric nitrogen, 169  
 Attock, 213  
 Atwal, A.S., 41, 182, 183, 187, 241  
 Australasia, 24  
 Australia, 62, 206, 211  
 Auxin, 80  
 Avocado, 116, 211  
 Awasthi, J.D., 179
- Babul, 103  
 Badun, 212  
 Bailey, L., 245  
 Baluchistan, 212, 213  
 Ban(s), 100, 101, 103  
 Banana, 107  
 Bangalows, 61  
 Bangladesh, 224, 225, 256  
 Bankas, 105  
 Bannah Violet, 108  
 Bannu, 193, 195, 196, 197, 198  
 Barbattini, 19  
 Barberry, 105  
 Basuti, 105  
 Bataber, 213  
 Beans, 71  
 Bears, 54  
 Beas, 182  
 Bee(s), biology, 178  
     colonies, 60  
     dens, 62  
     disease, 178  
     eater bird, 208  
     flora, 62, 73, 94, 95, 165, 166, 173, 178,  
         186, 191, 195, 197, 207, 254, 256  
     genetic reserves, 183
- management, 87, 160, 178, 184, 189,  
     222, 255  
 resources, 165, 167, 172  
 stocks, 189  
 veil, 185  
 venom, 115, 187, 223, 224
- Bee brood, 151  
 Beehive, 122, 188, 214  
 Beekeepers, 156, 212  
 Beekeeping, 17, 25, 29, 39, 69, 76, 92, 93,  
     95, 97, 119, 120, 152, 156, 159, 160,  
     164, 166, 172, 181, 185, 190, 191, 206,  
     207, 219, 222–26, 232, 235–37, 241,  
     246, 251–52, 254, 256, 257  
     attributes of, 32  
     in cottage industry, 113ff, 187, 189,  
         208  
     equipment, 214  
     in Hindu-Kush region, 221ff  
     in Nepal, 155ff  
     in NWFP, 193ff  
     in Pakistan, 211ff  
     potential, 33  
     problems, in south east Asia, 239ff  
     research in HkH, 251ff  
     site, 153  
     technology, 257  
     tradition of, 27
- Beech trees, 20  
 Beer, 20  
 Beeswax, 62, 69, 115, 181, 187, 188, 223,  
     224, 237, 239  
 Beetles, 188  
 Behaviour, characteristics, 182, 191  
 Bekhal, 107  
 Bekar, 59, 60  
 Bel, 103  
 Benton, F., 94  
 Ber, 59, 60, 196, 213  
 Berries, 108  
 Berseem, 59, 61, 115, 197  
 Bhaikar, 196  
 Bhatti, J.P., 95  
 BHC, 209  
 Bhimal, 101  
 Bhoj Patra, 103  
 Bhutan, 26, 51, 57, 96, 163–65, 169–72,  
     175–77  
 Bhutanese flora, 173  
 Bihar, 24  
 Biocides, 190  
 Biodiversity, 91  
 Biological characteristics, 183

- Biological dimensions, 30  
 Biological diversity, 184  
 Biological resources, conserve, 109  
 Biometric sub-groups/ecotypes, 46  
 Biometry, 48  
 Birds, 188  
 Bird's Foot trefoil, 71  
 Birgunj model, 158  
 Bishop, M., 149  
 Biti, 102  
 Black currant, 72  
 Blossom duration, 60  
 Blue berry, 72  
 Botany, 256  
 Box type, 236  
 Brahmaputra Valley, 46, 47  
 Breeding, 194, 246  
 Brinjal, 108  
 Bronzed drongos, 54  
 Brood, 23, 56, 88  
     chambers, 142, 215, 236  
     rearing, 87, 196  
 Buckwheat, 72, 74, 223  
 Buddhist areas, 26  
 Building techniques, 254  
 Bumthang, 167, 169, 172, 176, 179  
 Burma, 253, 256  
 Bushes, 61
- Cabbage, 72  
 California State, 114  
 Cambodia, 239  
 Canada, 74, 75, 169, 170, 176, 255  
     Western, 20  
 Cancer, 224  
 Carbohydrates, 223  
 Carniolan, 21  
 Carniolans, 241  
 Carrot, 72, 116, 211, 212  
 Castor oil-plant, 106  
 Cauliflower, 94  
 Century plant, 105  
*Cerana* honey, 161  
 Chalk brood, 190  
 Chandran, K., 94  
 Changa Manga, 65  
 Chantaburi, 245  
 Chauhan, P., 76  
 Chenab, 182  
 Chenopod, 223  
 Chepang, 251  
 Cherries, 72, 186, 212, 223  
 Chestnut-bellied rock thrushes, 54  
 Chiang Mai, 177.  
 China, 51, 96–98, 121, 133, 155, 224, 246,  
     253, 254, 256  
     North, 44  
     South, 241  
 Chinese bee, 136  
 Chirat, 196  
 Chitral, 60  
 Chlorobenzilate, 140  
 Chonghua, 242  
 Chuk, 166  
 Chulalongkorn University, 239, 246  
 Citrus, 59, 60, 72, 94, 115, 116, 198, 199,  
     211, 212  
     trees, 196  
 Clematis, 107  
 Cliff site, 52, 54, 55  
 Climate, 30, 163  
     requirements, 19–21  
 Clovers, 71, 116, 184, 197, 198, 199/206,  
     211, 214, 223  
 Coconut, 241  
 Coefficients, 46  
 Cold arid zone, 103  
 Cold hardiness, 237  
 Cole crops, 116, 211  
 Colony, cycle, 254  
     defence, 254  
     management, 166  
     size, 41  
     strength, 72–73  
 Combs, 61, 188, 195  
     foundation equipment, 214, 236  
     foundation press, 206  
     foundation sheets, 116, 185, 206, 214  
 Commercial beekeeping, 194, 195  
 Commercial honey production, 206  
 Community, 95  
 Comparative advantage, 34n  
 Coniferous forests, 17  
 Conservation, 159, 181  
 Contributors, 31  
 Corn, 59  
 Cosmetics, 206  
 Cost, and scale, 32  
 Cost-effectiveness, 70, 152, 154  
 Cottage industry, 39, 76, 172, 177, 181  
     see also, Beekeeping  
 Cotton, 115, 199, 212, 213  
 Cows, 199  
 Cranberry, 72  
 Crane, E., 17, 20, 24, 26, 92, 94

- Crop, 30  
  pollination, 190
- Cross-breeding, 135
- Cross-pollination, 69, 71, 74, 75, 78–80, 87, 88, 93, 94, 169–71, 174, 175, 194, 206, 252, 254
- Cucumber, and squash, 72
- Cultivated lands, 17  
  uncultivated and, 221
- Cultivation, 69, 94
- Cultural heritage, 182
- Cuttings, 99–102
- Daly, H.V., 44
- Dane, L., 181
- Daphne, 108
- Dargai, 196, 197
- Dates, 197, 212
- Dearth periods, 198, 241
- Deciduous forests, 17
- Deciduous tree, 196
- Deciduous vegetation, 163
- Deforestation, 70
- Degradation, 221
- Deodikar, G.B., 71
- Department of Agricultural Research, 206
- Department of Entomology, 206
- Desert, 184
- Deshmukh, A.K., 94
- Development interventions, 31
- Dhaliwal, H.S., 23, 94
- Dhaman, 102
- Dharmshala, 182
- Dietz, 21
- Dir, 60, 62, 196, 198, 199, 207, 214
- Director of World Honey Sources, 92
- Discrimination analysis, 46
- Diseases, 161, 188, 190, 199, 206, 218, 221, 246, 253, 254
- Distribution area, of *Eurya*, 143
- Diversity, 30, 31, 34n 98, 109, 184, 221  
  of agriculture, 33
- Dorji, R., 179
- Dorsata* honey, 161
- Dulta, P.C., 78–84, 86, 185, 186
- Durian, 241
- Dwarf honey bee, 241
- Earthern Pitcher, 63
- Eastern honey bee, 241, 246
- Ecological condition, 178, 184, 190
- Ecological diversity, 31
- Ecological environment, 143
- Ecological niche, 91, 93
- Ecological zones, 173
- Economic marginality, 32
- Economics, 257
- Economy, 39
- Eco-physiology, 189
- Ecosystem, 208
- Ecotypes, 43, 48
- Ectoparasite, 208
- Egg laying, 23
- Egg plants, 116, 211
- Elevation, 182
- Elements, 115
- Embryo, 87
- Energy, less, 41
- Entomologists, 208
- Entomophilous crops, 69, 252
- Environment, 155
- Environmental balance, 39, 181
- Environmental degradation, 53
- Environmental health, 33
- Environmental problems, 222
- Enzymes, 115, 223
- Equator, 17, 20
- Equipment, 151  
  see also, Beekeeping
- Ericaceae, 20
- Erosion, of land, 221
- Ethiopia, 26
- Eucalyptus, 59, 213
- Euphorbia, 106
- Europe, 22, 25, 170, 206  
  Western and Eastern, 75
- European Alps, 17
- European Foul brood, 23, 56, 168, 172, 190, 245
- European hive bee, 41–42, 157
- European honeybees, 134, 164, 176, 183, 206, 217, 219, 229, 230, 241, 251
- Exotic honeybee species, 39, 189, 190, 206
- Exploitation, 169
- Export, 219
- Extension, 252
- Extinction, of species, 104
- Extraction, 178
- Extractors, 151
- Faisalabad, 213
- FAO, 187
- FAO Expert Consultation on Beekeeping, 70
- Farm productivity, 119
- Farming system, 122

- Fauna, 252, 254  
 Federal Honeybee Research Laboratory, 214  
 Feeder, 185  
 Feeding, 178  
 Fertilization, 80  
     selectivity in, 71  
 Fertilizers, 69, 75, 169, 174, 186, 222  
 Finland, 20  
 Fixed-comb hives, 17, 160  
 Flavour, 171  
 Flea markets, 64  
 Flight range, 41  
 Flora, 21, 60, 91, 97, 98, 115, 173, 184,  
     189, 212, 213, 218, 252, 253  
     diversity of, 93  
 Floral calendars, 173  
 Floral charts, 59  
 Floral resource, 153, 211  
 Floristic pattern, 190  
 Flowering, 73  
     periods, 174  
     season of *Eurya*, 143  
 Fodder crops, 169  
 Folbex, 140  
 Food resources, 73  
 Foothills, 212, 213  
 Forage (foraging), 20, 72–74, 82, 93, 94,  
     97, 157, 159–61, 184–87, 226, 252, 254  
     apple, 84, 85  
     area, 41  
     behaviour, altitude and, 85–87  
     behaviour of *Apis cerana*, 80, 82–85  
     crops, 223  
 Forests, 183  
     preservation of, 173  
 Forestry, 178  
 Forewing, 44  
 Foulbrood disease, 195  
 Fragility, 30, 31, 34n  
 Frame hives, 158  
 Free, J.B., 78, 181  
 Fresnaye, J., 43  
 Fruit, 59, 171  
     drop, 71, 78, 79  
     quality, 78, 80  
     set, 71, 78, 79  
 Fumigation, 188  
 Fungicides, 190  
 'Garanda', 214  
 Gardens, 61  
 Gasa, 166  
 Geographic ecotypes, 62  
 Geographic populations, 48, 184  
 Geographic races, 43  
 Genetic diversity, in Himalayan honeybee, 39ff  
 Genetic engineering, 252  
 Genetic improvement, 149  
 Genetic resources, conservation of, 104  
 Germplasm, exotic and indigenous, 199  
 Geylegphug, 176  
 Giant honeybee, 241  
 Gitean, M., 239  
 Gloves, 185  
 Glucose, 145  
 Godavari model, 158  
 Gokarna model, 158  
 Good, 19  
 Gooseberry, 72  
 Government of Netherlands, 256  
 Goyal, N.P., 183, 241  
 Grafting, 102  
     needles, 142  
 Grain legumes, 71  
 Grape, 72, 108, 196, 212  
 Grayanotonia, 20, 21  
 Grazing, 54, 159  
 Guangdong, 242  
 Guanhuan, Y., 133  
 Guava, 72, 196, 212  
 Guival, 100, 102  
 Gujarat, 213  
 Gujranwala, 213  
 Habitats, 172  
 Haripur, 60, 195–98, 213  
 Harvest, 152, 160, 173, 175  
 Hazara, 116, 213–15, 218  
 Hazelnut, 106  
 Heterogeneity, 34n  
 Heterosis, 39, 71, 80  
 Hibernating, 94  
 Higashidori, 235  
 Hill honey, 161  
 Himachal Pradesh, 21, 41, 44, 70, 73, 78,  
     87, 94, 96, 101, 170, 173–76, 181–83,  
     185–91, 224, 225, 227, 228  
 Himachal Pradesh University, 44  
 Himachali people, 182  
 Himalaya(s), 40, 46, 100, 163, 189  
     central, 102  
     eastern, 46, 99, 102  
     northeast, 47

- northern, 81, 82  
 western, 23, 24, 46, 99
- Himalayan honeybee, 39, 51ff
- Himalayan range, 155, 157
- Himalayan region, 223, 252
- Hindwing, 44
- Hindu-Kush Himalaya, 26, 39, 69, 70, 73–78, 87, 92, 94, 96, 99, 105, 164, 169, 173–75, 221, 224, 251, 253–57
- Hives, 26  
 boxes, 206  
 management, 178  
 products, 141–43, 187
- Hokkaido island, 48
- Honey, 32, 61, 62, 133, 188  
 comb, 64  
 dew, 17, 20  
 export, 188  
 extraction, 187  
 extraction calendar, 63  
 flora, 166, 218  
 flow, 115, 184, 185, 198  
 grading, 177  
 harvests, 55, 151, 187, 219, 236  
 hunters, 61, 64, 65  
 hunting, 17, 18, 55, 56, 62, 65  
 import of, 177  
 packing, 177  
 plant sources, 59ff, 91ff, 96, 98, 173, 189, 213  
 potentials, 174  
 practices, 63–65  
 processing, 177, 178, 187  
 producing areas, 182  
 production, 59, 218, 229, 213  
 suckle, 106  
 yields, 19, 195
- Honeybees, 57, 105, 114, 141, 156, 199  
 colonies, 59, 133  
 products of, 32
- Honshu, 236
- Hornets, 61, 195, 209, 215
- Horticulture (crops), 30, 86, 119, 169, 170, 171, 186, 206  
 industry, 76, 171, 187  
 output, 222
- Human adaptation, 35n
- Human communication, and population density, 25–26
- Human predation, 55–56
- Humid sub-tropical climate, 155
- Hunting, 156, 165
- Hybrid effects, 71
- Hypopharyngeal glands, 142
- ICIMOD, 178, 256
- Illa, 166
- Immobility, 152
- Import, 177, 219
- Improved types, of beehives, 122
- Inaccessibility, 26, 31, 32, 34n, 93, 97, 165, 176, 177
- Income-generating activities, 32, 113, 156, 181
- India, 19, 51, 96, 102, 121, 155, 158, 170, 173, 175, 177, 193, 224, 227, 253, 254  
 Central, 24  
 northeast, 46  
 northern, 42, 70  
 northwest, 44  
 south, 44, 46
- Indian hive bee, 181
- Indigofera, 107
- Inflorescence, 73
- Insect pests, 190, 208
- Insect pollinators, 76, 78–80, 186, 187, 190
- Insecticidal spray, 208
- Insecticides, 94, 208, 209
- International Bee Research Association, 255
- International Centre for Beekeeping Research and Training, 256
- International Development Research Centre (IDRC), 255
- International Federation of Beekeepers' Association, 255
- Irrigation, 69, 70, 75, 174, 186, 222
- ISI Villagers' hives, 183
- Islamabad, 206, 214
- Italian bees, 23, 241
- Italian strains, 41
- ITC-UNCTAD-GATT, 96
- Iti, 102
- IUCN, 104, 109
- 'Jaman', 213
- Japan, 75, 116, 170, 235, 236, 237, 245, 254
- Jarul, 102
- Java, 46
- Jhang, 213
- Jhelum, 213
- Jin, 133
- Jitengi, 102

- Jodha, N.S., 29, 30n  
 Jomma Bazar, 64  
 Jubbal, 78
- Kachnar, 100  
 Kaewklai, C., 239  
 Kafle, G.P., 155, 159  
 Kapil, R.P., 43  
 Kapok, 241  
 Karandas, 105  
 Karnataka, 46  
 Kasetsart University, 239  
 Kashmir, 19, 21, 26, 44, 60, 70, 170, 173  
 Kathmandu, 157, 158, 251  
 Katwal, B., 95  
 Kefuss, JA, 23  
 Kenya, 21, 26  
 Kerala, 46  
 Kerkvliet, J.D., 21  
 Kevan, P.G., 94  
 Khairabad 196, 198, 213  
 Khairwa, 102  
 Khairwal, 100  
 Khan, B.M., 59  
 Khan D I, 193, 197, 198  
 Khope hives, 158  
 Khurmani, 103  
 Khyber Pass, 19  
 Kidney bean, 223  
 Kikar, 103  
 Kimer, 99, 102  
 Kinnoo, 196  
 Koeniger, N., 41  
 Kohat, 195–97  
 Kohistan, 62  
 Kotkhai, 78  
 Kozin, R.B., 94  
 Krell, R., 21  
 Kshirsagar, K.K., 43  
 Kuala Lumpur, 255  
 Kullu valley, 181
- Laboriosa* honey, 161  
 Lahore, 213  
 Lahul and Spiti, 182.  
 Laidlaw, M.H. Jr., 241  
 Landless labourers, 172  
 Langstroth hives, 21, 116–17, 183, 185,  
     215–18, 236  
 Las Bela, 212  
 Latitude, 20, 22–23  
 Lavie, P., 43  
 Lawns, 61
- Laying worker, 42, 121, 253  
 Legumes, 184  
 Lemon, 196  
 Leningrad, 20  
 Lespedeza, 107  
 Levulose, 145  
 Lhuntisi, 166  
 Lichens, 19  
 Linseed, 71  
 Lipids, 223  
 Litchi, 72, 241  
 Little bee, 40  
 Livestock, 30, 159, 221  
 Logs, 64  
 Log-hives, 116, 215  
 Long-distance migratory method, 134  
 Longan, 241  
 Loquat, 59, 60, 196, 198, 199, 206, 212,  
     213  
 Low cost, frame, 150  
     hives, 116  
 Lower Sind, 212  
 Lucerne, 59  
 Lukla, 21  
 Lumle model, 158
- Machine, honey extraction by, 64  
 Mackensen, O., 43  
 Maize, 197, 212, 213, 241  
 Malakand, 213  
 Malathion, 209  
 Malaysia, 246, 255  
 Mandarin, 196  
 Mango, 103  
 Manipur, 46  
 Manure, 75  
 Manzoor, U.H., 94  
 Mardan, 193, 196, 198  
 Marginal farmers, 172  
 Marginal lands, 221  
 Marginality, 30, 31, 34n,  
 Marketing, 151, 178
- Martens, 54  
 Maskey, M., 119  
 Mating, 151, 173, 245, 253  
 Matsuka, M., 235  
 Mattu, V.K., 44, 181–86  
 Maugwara, 64  
 Maurer, F., 169, 175, 176, 178  
 McGregor, S.F., 78, 94  
 Medicinal plants, 223  
 Medicine, 181, 206  
 Mediterranean, 25, 43

- Meghalaya, 46  
 Merops, 42  
 Mesquite, 115, 213  
 Mexico, 19  
 Middle hills, 53  
 "Mie manlin", 140  
 Migration, 160  
 Migratory apiculture, 175, 178  
 Migratory beekeeping, 190, 241  
 Milkweed, 105  
 Millets, 212, 223  
 Mimosa plants, 241  
 Minerals, 115, 146, 223  
 Mites, 41, 190, 199, 218, 242  
 Mixed cropping, 73  
 Mizoram, 46  
 Modern, beekeeping, 240  
     hives, 19  
     movable-frame, 61  
 Moisture, 145  
 Mongor, 166  
 Monoculture, 93, 94  
 Morphometric character, 189  
 Mosses, 19  
 Mountain(s), 25, 157–60, 199, 222, 226  
     agriculture, 92  
     beekeeping, 18, 21  
     development, 29  
     honey, 161  
     perspective, 29ff  
     specificities, 29, 34n  
     women, and beekeeping in Nepal, 119  
 Movable comb hives, 158, 160  
 Movable-frame hives, 17, 18, 150, 164,  
     166, 173, 182, 239  
 Movable simple hives, 182  
 Mucids, 76  
*Mud* hives, 158  
 Muhammad, E., 94  
 Mulberry, 213  
 Mulder, V., 239, 245  
 Mulk, M.V., 95  
 Multivariate discriminant analysis, 48  
 Murree hills, 116  
 Mustard, 53, 60, 71, 198, 212, 223  
 Muzaffar, N., 113, 114  
 Naga and Mizo Hills, 46, 47  
 Nagaland, 46  
 Nagrota Bagwan, 41  
 Narayanan, E.S., 43  
 NARC, 207  
 Nashpati, 102  
 National Agricultural Research Centre, 206  
 Nectar, 23, 26, 41, 71, 73, 74, 86, 94, 98,  
     171, 173, 185, 189, 195, 198, 212, 223  
     241, 242  
     dearth, 21  
     pattern, 143  
     sources, 191  
 Nectaries, 74  
 Nepal, 19, 21, 51, 96, 102, 119, 149,  
     155, 157–61, 173, 177, 225, 232, 233,  
     251–53, 256  
     Government, 256  
     western, 56  
 Nest architecture, 157  
 Nesting places, 94  
 New Delhi, 255  
 Newton, B., 158  
 New Zealand, 20  
 Niche, 30, 31, 34n  
 Nicotine, 140  
 Niger, 71  
 Non-*Apis* pollinators, 70, 75, 187  
 Non-blooming period, 175  
 Non-convariates, 32  
 Non-migratory beekeeping, 207  
 North Africa, 24  
 North West Frontier Province (NWFP),  
     19, 25, 59–61, 63, 97, 175, 177, 193,  
     195, 198, 199, 206, 207, 208, 212, 213,  
     215, 253  
 Nosema, 188  
 Nosema disease, 252  
 Nowshera, 196, 198  
 Nye, W.P., 43  
 Occidental bee, 218  
 Oil seed, 59, 71  
 Okada, I., 48, 237, 245  
 Omholt, S.W., 23  
 Onion, 72, 116, 211  
 Ono, M., 237  
 Open-pollinated flowers, 78–80  
 Orange, 196, 213  
 Orchards, bee colonies in, 73  
     crops, 72  
 Oriental bee, 218  
 Orientation programme, 121  
 Out-breeding, 135  
 Oxygen concentration, low, 23  
 Package bees, 190  
 Padam, 100

- Padda, B.S., 179  
 Pakistan, 19, 42, 59, 62, 96–98, 115, 175, 177, 193, 207, 211, 212, 218, 224, 226, 253, 256  
 beekeeping in, 113  
 northern, 44  
 Pakistan Agricultural Research Council, 214  
 Panicle, 171  
 Pastures, 17  
 Pathogens, 190, 218  
 Pathology, 257  
 Parachinar, 196  
 Parasites, 208, 252–54  
 Parasitic mites, 138–41, 188, 246  
 Paro, 163, 166  
 Partap, T., 91  
 Peach, 72, 116, 186, 211, 212, 214  
 Peak brood activity, 168  
 Pear, 72, 116, 211, 212, 214  
 Pedigree queens, 176, 189  
 Pema Gatshel, 169, 176  
 Peng, Y.S., 237, 242  
 Perennial snow covered mountains, 155  
 Persimmon, 72, 116, 211  
 Peshawar, 116, 193, 195–98, 206, 213, 214  
 Pesticides, 69, 70, 75, 88, 94, 152, 162, 171, 174, 187, 190, 222  
 Pests, 161, 165, 176, 215  
 pH, 145  
 Phenological pattern, 190  
 Phenothiazine, 140  
 Phosphine gas, 207  
 tablets, 2  
 Photoperiod, 22  
 Phulai, 115, 196, 198, 199, 213  
 Phuntsholing, 167, 176  
 Pilot projects, 178  
 Pine forests, 20  
 Pitchers, 64  
 hives, 116, 214  
 Plains, 183, 199, 212, 214  
 Plant, progeny, 71  
 requirements, 19–21  
 Plectranthus, 115  
 Plum, 72, 116, 186, 211, 212, 124  
 Poland, 255  
 Polishes, 206  
 Pollen, 23, 32, 41, 71, 73, 86–88, 94, 98, 115, 133, 142–43, 161, 164, 171, 173, 187, 189, 195, 196, 198, 212, 219, 223, 224, 241, 242  
 bombs, 70  
 dearth, 88  
 dispensers, 70, 88  
 loads, 83, 86  
 trap, 135, 142  
 wax, 151  
 Pollinating insects, 114, 115  
 Pollination, 39, 59, 60, 70, 72–74, 78, 87, 92, 93, 96, 97, 114, 116, 117, 121, 156, 169–71, 174, 176, 181, 188, 195, 211, 223, 235, 257  
 activity, 33  
 ecology, 69ff  
 resources, 76  
 Pollinators, 51, 70, 72, 73, 87, 88, 156, 169, 170, 186, 223  
 abundance of, 174  
 diversity of, 174  
 Pollinizer, 79, 87, 88  
 Pome fruit, 59, 60  
 Pomegranate, 107  
 Population, breeding, 135  
 human communication and, density, 25–26  
 Poultry, 199, 224  
 Poverty, 26  
 –elevation programme, 222, 226  
 Practical apiculture, 177  
 Predatory wasps, 188, 190  
 Predators, 54, 121, 149, 165, 168, 176, 190, 208, 215, 253, 254  
 Prehistoric rock paintings, 18  
 Prickly pear, 106  
 Pride of India, 107  
 Productiveness, 190  
 Productivity, 70, 169  
 Profitability, 152  
 Prolific queen, 88  
 Propagation, 151, 160, 185  
 Propolis, 62, 115, 143, 181, 187, 219, 223, 224  
 Proteins, 115, 146, 223  
 Pruning, 174  
 Pulawy, 255  
 Pulses, 212  
 Pumpkin, 116, 211  
 Punakha, 163  
 Punjab, 60, 176, 193, 212, 213, 215, 253  
 Queen, cage, 185  
 –cell bar, 135  
 excluder, 185  
 production, 190  
 rearing, 151, 246

- Radish, 72, 116, 211  
 Rai, D.B., 179  
 Rainfall area, 103  
 Raj, D., 188  
 Rambutan, 241  
 Rana, B.S., 183, 185, 186, 188  
 Rape, 53, 212, 223  
 Raspberry, 72  
 Rathore, M.S., 221  
 Ravi, 182  
 Rawalpindi, 213, 214  
 Rearing, bees, 181  
 Regenerative systems, 33  
 Regional Centre for Beekeeping in Asia, 255  
 Regional Research and Training Centre, 256  
 Reproductive biology, 246  
 Reproductive rate, 56  
 Research, 191  
 Resistance, to diseases, 71, 188  
 Rheumatoid arthritis, 115  
 Rhizomes, 101  
 Robbing habit, 42, 121, 173, 185, 209, 237, 245, 255  
 Rock bee, 40  
 Rocky and associated mountains, 19  
 Rosa macrophylla, 108  
 Rose, 108  
 Rosewood, 102  
 Rotenone, 140  
 Royal Botanical Garden, 256  
 Royal jelly, 62, 115, 134, 141–42, 187, 219, 223, 224  
 Rubber tree, 241  
 Rubus spp., 108  
 Rural community, 119  
 Rural development programme, 178  
 Rural women, beekeeping and, 113, 114, 117  
 Russia, 206  
     *see also*, USSR  
 Rustam, 196, 213  
 Ruttner, F., 43–46, 48, 236, 241  
 Ruwenzori mountains, 18  
  
 SAARC, 176  
 Sacbrood disease, 161, 188, 218  
 Sacbrood virus, 161, 190  
 Safflower, 71, 116, 211  
 Sahagami, S.F., 40, 51, 157  
 Sahiwal, 213  
 Sainfoin, 71  
 Sakai, T., 235  
 Samchi, 177  
 Samui Island, 240, 243  
 Samut Songkram, 243  
 Sanatalakha, 174, 176  
 Sargodha, 213  
 Sarson, 41, 59, 60, 116, 197, 199, 206, 211, 213  
 Sasaki, M., 236  
 Saubole, B.R., 158  
 Scent training, of bees, 70  
 Scientific beekeeping, 187, 189  
 Seeds, 169  
 Seelay, T.D., 47, 241  
 Selection, 151, 245, 246  
 Selective breeding, 70, 149, 255  
 Self-incompatible, 75, 78, 80, 169–71, 186  
 Self-sterile, 70, 171  
 Self-sufficiency, 69  
 "Service functions", 33  
 Sew, 100  
 Shaftal, 59, 197  
 Shah, F.A., 26  
 Shahid, M., 193  
 Shain, 106, 115, 197, 198, 199, 213  
 "Shain Shobeh", 213  
 Shallow supers, 215  
 Sharma, K.C., 159  
 Sharma, N., 185, 186  
 Sharma, O.P., 183, 188  
 Sharma, P.L., 23  
 Sheesham, 59  
 Shein, 59  
 Shertha, K.K., 251  
 Shikui, L., 133  
 Shimla Hills, 76, 78, 83  
 Shimokita, 235  
 Shisham, 101, 102, 195, 213  
 Shrestha, S., 95  
 Shrubs, 61  
 Shuangxiu, H., 133  
 Sikkim, 46  
 Silver weed, 107  
 Sind, 213  
 Singh, M.P., 184  
 Siris, 100, 213  
 Slack resource, 32  
 Smoker, 185  
 Snake root grass, 241  
 Socio-economic conditions, 165, 178  
 Socio-economic dimensions, 30  
 Socio-economic values, 101  
 Sonia, 101

- Sorghums, 59, 212  
 South Asia, 72, 252, 255  
 Southeast Asia, 72, 239, 245, 246, 255  
 Sowing, 99, 100, 102, 103  
 Soybean, 223  
 Species, diversity, 39–43  
 Speth, K., 158  
 Spring, equinox, 22  
     honey, 161  
 Squeezing, honey extraction by, 63–64, 151  
 Squash, 116, 211  
 Sri Lanka, 24, 46  
 Standing log hives, 236  
 State Horticultural Department, 187  
 Steppeland, 17  
 Sterols, 224  
 Stigmas, 71, 86  
 Sting, 153, 245  
 Stone fruit, 59, 60, 198, 199  
 Stort, A.C., 185  
 Strategies, for apiculture development, 172, 181ff, 189–91  
 Strawberry, 72  
 Submountainous areas, 193, 194, 183  
 Sub-temperate zone, 39  
 Sub-tropical climate, 102  
 Sub-tropical forests, 19  
 Sub-tropical regions, 39, 100  
 Sucrose, 145  
 Sugars, 115, 223, 224  
 Summer honey, 161  
 Summers, D., 51, 55, 56  
 Sunflower, 41, 59, 71, 94, 116, 197, 206, 212  
 Supota, 103  
 Surin Province, 239  
 Survival, 185  
 Suryanarayanan, M.C., 71  
 Sustainability, 33, 91, 92  
     analysis, 177  
     of mountain development, 39, 178, 222  
     -oriented, 32  
 Sutlej, 182  
 Svensson, B., 225  
 Swabi, 213  
 Swarm, 54, 151, 158, 160, 178, 199, 236  
     clusters, 54  
     nets, 185  
 Swarming, 23, 41, 42, 52, 61, 121, 168, 173, 184, 185, 190, 194, 196, 199, 242, 253, 255  
 Swat, 19, 60, 116, 196, 198, 199, 207, 213–15, 218  
 Sweden, 20, 74  
 Sweet clovers, 74  
 Sylvester, H.A., 245  
 Sympatric distribution, 40  
 Syrphids, 76  
 Taiwan, 224  
 Taktic, 140  
 Tamarix, 213  
 Tamil Nadu, 46  
 Tangkansing, P., 241  
 Tarbela, 213  
 Taxonomic status, 174  
 Technology, modern, 150  
 Temperament, 41, 42, 61  
 Temperate climate, 155  
 Temperate deciduous forests, 19  
 Temperate fruits, 186  
 Temperate regions, 173, 174, 175, 182, 184  
 Temperate zone, 18, 22, 39  
     honeybees, 24–25  
 Temperatures, 20, 23, 254  
 Temple, G., 169, 176  
 Terai, 252  
 Terai honey, 161  
 Tergites, 44  
 Terracing, of fields, 153  
 Terrain, 26, 163, 165, 176  
 Thai sacbrood virus disease, 120  
 Thailand 46, 121, 177, 239, 240, 241, 243, 245, 253  
 Thanadhar, 76  
 Thatta, 212  
 Theaceae, 143  
 Thimphu, 163, 166, 176  
 Thyme, 106  
 Tibet, 155, 157  
 Tilling, of soil, 153  
 Timber trees, 223  
 Tolerance, 199  
 Tongsa, 166  
 Tongue, 44  
 Top-bar hives, 17, 18, 150, 158  
 Topography, 159  
 Toria, 41, 213  
 Toxic honey, 20–21  
 Trading system, 177  
 Traditional, 18  
     hives, 182  
     log hives, 166  
     management, 32

- method, 121, 150  
 types of beehives, 122
- Trailers, 61
- Training, in beekeeping, 121, 122, 152–53, 176, 251ff
- Transplanting, 99–103
- Transportation, of bees, 175, 198
- Trapezoidal top-bar hive, 158
- Trichlorphon, 140
- Tribhuvan University, 256
- Tropical Asia, 26–27
- Tropical bees, 18, 24
- Tropical forests, 19
- Tropical region, 18, 22, 102, 174, 182, 184
- Tshigang, 166
- Turkey, 20, 25
- Turnip, 72, 116, 211
- Tut, 101
- Uganda, 26
- Ulindag minorities, 20
- Uncapping knife, 185
- Underwood, B.A., 51, 52, 54
- Unifloral honey, 161
- U.K., 62
- USSR, 20
- USA, 74, 94, 116
- Univariate analysis, 46
- University of Pertanian, 246
- Unripe honey, 152
- UNs High Commission for Refugees, 206
- Unsustainability, 29, 222
- Uttar Pradesh, 70
- Valli, E., 51, 55, 56
- Varroa mite, 195, 208, 252
- Vegetables, 71
- Vegetation, 159  
 changes in, 19
- Venom, 135, 143, 181
- Verma, L.R., 21, 32, 33, 39, 44, 46, 69, 70, 76, 78–86, 92, 93, 96, 108 163, 181–88, 221, 227, 237, 251
- Vetches, 71
- Viability, 71
- Vietnam, 245
- Vikurum, 106
- Vilva, 103
- Virginia, 94
- Virus cluster, 188
- Vitamins, 115, 146, 223, 224
- Wah, 213
- Waite, 94
- Walker, P., 94
- Wall-hives, 116, 214, 215
- Wangchuck, D.K., 178
- Wangdipholtram, 166
- Wanitwattana, S., 239
- Warsaw, 255
- Wasps, 41, 185, 209
- Wasteland clearance, 70, 187
- Watanabe, K., 235
- Water, requirements, 184  
 sheds, 163
- Wax, 32, 219
- Wax moth, 61, 121, 161, 185, 188, 195, 199, 207, 215
- Western Ghats, 19
- Wheat, 199
- Wild colonies, 22
- Wild date palm, 105
- Wild olive, 213
- Willows, 59
- Wilson, W.T., 23
- Winter honey, 161
- Winter swarms, 54, 55
- Wintering, 190
- Wintering cluster, 52, 190, 236
- Women, and beekeeping, 119, 120
- Wongsiri, S., 239, 241, 242, 245, 246
- World Conservation strategy, 109
- Woyke, J., 241
- Yamuna, 182
- Yanhua, L., 95
- Yoshida, T., 236
- Yushipang, 174, 176
- Zaijin, R., 133
- Zardalu, 102
- Zheming, 133
- Zonation, 172
- Sonia, 104



## SCIENTIFIC NAMES

- Abeies bornmuilleriana*, 20  
*Abelmoschus esculentus*, 159  
*Acacia*, 60, 61, 186, 213  
    *A. modesta*, 115, 196, 213  
    *A. nilotica*, 103  
*Acaclia auriculiformis*, 103  
*Acarapis woodi*, 60, 188, 208, 218  
*Acarine diseases*, 172  
*Acarine mite*, 168  
*Acer*, 186  
    *A. oblongum*, 159  
*Achroea grisella*, 161  
*Achronia sp.*, 161  
*Adhatoda*, 186  
    *A. vasica*, 196  
    *A. zeylanica*, 105  
*Aesandra butyracea*, 159  
*Aesculus*, 186  
*Agave americana* L., 105  
*Ageratum eonyzoides*, 159  
*Albizia spp.*, 159, 186  
    *A. lebbeck*, 100, 102, 213  
*Alnus sp.*, 103  
    *A. nepalensis*, 99  
    *A. nitida*, 99  
*Althea rosea*, 159  
*Apis*, 21  
    *A. cerana*, 19, 21–26, 39, 40, 42–43, 48, 57, 60–62, 64, 70, 72–74, 76, 88, 116, 120, 135, 136, 138, 141, 142, 149–51, 153, 156, 157, 161, 164, 165, 167, 168, 171–74, 176, 177, 181–83, 185, 187–89, 194, 195, 198, 207, 212, 214, 215, 218, 224, 225, 227, 228, 233, 236, 237, 239–46, 251, 252, 253–55  
    *A. cerana abaensis*, 137–38  
    *A. cerana cerana*, 43, 44, 136–37, 143  
    *A. cerana hainanensis*, 138  
    *A. cerana himalaya*, 43, 46

- A. cerana indica*, 43, 46–48  
    *A. cerana indica* Fabricus, 137, 138  
    *A. cerana japonica*, 43, 48, 235–37, 241, 245  
    *A. cerana*, foraging behaviour of, 80, 82, 85–87  
        genetic diversity of, 43–48  
        in Japan, 235ff  
    *A. cerana skorikovi* Maa, 137  
    *A. dorsata*, 18, 22, 26, 39–41, 60–61, 156, 157, 164, 167, 183, 187, 194, 212, 239, 241, 255  
    *A. florea*, 22, 26, 39–41, 60–61, 164, 167, 183, 187, 194, 212, 239, 241, 255  
    *A. indica skorikovi*, 137  
    *A. iridescent*, 218  
    *A. laboriosa*, 26, 40, 51ff, 55–57, 156, 157, 164, 167, 173  
    *A. mellifera*, 21–25, 40–43, 56, 57, 60, 62, 64, 70, 72–74, 76, 82–88, 121, 134, 138, 139, 141, 142, 149, 150, 153, 157, 161, 164–69, 171–77, 182, 183, 185, 187–90, 195, 198, 206–208, 212, 214–16, 224–26, 228, 229, 235–37, 239–42, 245, 246, 251, 253, 255, 256  
    *A. mellifera carnica*, 21, 241  
    *A. mellifera ligustica*, 41, 135, 241  
*Arbutus unedo*, 20  
*Archoria griseela*, 207  
*Areekul*, 239  
*Argimone mexicana*, 160  
*Asclepias curasavica* L., 105  
*Aspergillus flavus* L., 218  
*Aster thomsonii*, 159  
*Atropa belladonna*, 160  
*Azadirachta*, 184  
*Bauhinia spp.*, 159, 186  
    *B. purpurea*, 100, 102  
    *B. variegata*, 100

- Berberis*, 186  
*B. lycium*, 105  
*Berseem*, 60  
*Betula utilis*, 103  
*Bradymerus* sp., 161  
*Brasseopis* spp., 159  
*Brassica* sp., 159, 186  
*B. campestris*, 53, 197, 212, 213  
*B. juncea*, 212  
*Buddleia asiatica*, 159  
*Buxus almoides*, 99
- Camponotus* sp., 161  
*Carduus* sp., 186  
*Carissa, caranda* L., 105  
*C. opaca*, 214  
*Cassia*, 186  
*Ceiba pentandra*, 241  
*Centaurea cyanus*, 159  
*Charonia flavigula*, 162  
*Citrus* sp., 115, 186, 212, 213  
*Clematis* spp., 107  
*Cocos mucifera*, 241  
*Colquehonia coecinia*, 159  
*Corylus colurna*, 99, 106  
*Cosmos sulphurius*, 159
- Dalbergia*, 184, 186  
*D. latifolia*, 102  
*D. sissoo*, 101, 195, 213  
*Daphne oleoides*, 108  
*Delonix regia*, 159  
*Dendrocalamus strictus*, 101  
*Dicrurus*, 161  
*D. aeneus*, 54  
*D. leneophaeus*, 54  
*Dorylus* sp., 161  
*Durio zibethinus*, 241
- Echinochloa*, 212  
*Ecuplica officinalis*, 101  
*Epilobium* sp., 76  
*Eriobotrya japonica*, 196, 212, 213  
*Eristatlis* sp., 76  
*E. angustimarginalis*, 76  
*E. tenax*, 76  
*Eucalyptus*, 185, 213  
*E. camaidulensis*, 101  
*E. saligna*, 99  
*Eugenia*, 184  
*Eupatorium adenophorum*, 159  
*E. odoratum*, 241
- Euphoria longana*, 241  
*Euphorbia royleana*, 106  
*Eurya*, 135, 143–47  
*E. alata*, 145  
*E. brevistyla*, 145  
*E. chinensis*, 145  
*E. groffii*, 145  
*E. lobeclados*, 145  
*E. loguiana*, 145  
*E. megatrichocarpa*, 145  
*E. muricata*, 145  
*E. nitida*, 145
- Fagopyrum* sp., 186  
*Florea*, 161  
*Fraxinus*, 213
- Galleria mellonella*, 161, 188, 207, 242  
*Gentiana amoena*, 159  
*Gossypium* spp., 115, 212  
*Grevillea robusta*, 101, 102  
*Grewia, elastica*, 102  
*G. optiva*, 101  
*Guizotia abyssinica*, 159
- Helianthus annus*, 197, 212  
*Hevea brasiliensis*, 241  
*Hippophae* spp., 104
- Ilex encelsa*, 159  
*Impatiens*, 186  
*Indigofera* spp., 107  
*Innula cappa*, 159
- Juglans regia*, 99
- Kalmia latifolia*, 20
- Laboriosa*, 51–55  
*Lagerstroemia indica*, 107, 159, 213  
*L. speciosa*, 102  
*Lespedeza* spp., 107  
*Leucaena leucocephala*, 159  
*Litchi chinensis*, 241  
*Lonicera sempervirens* L., 106
- Macrosyrphus* sp., 76  
*Madhuca latifolia*, 159  
*Malus* sp., 159  
*M. pumila*, 212  
*M. sylvestris*, 196

- Malvia rotundifolia*, 159  
*Mangifera indica*, 103, 159  
*Medicago* sp., 186  
*Megaselia* sp., 161  
*Meicago sativa*, 115  
*Melilotus* sp., 186  
*Melipona*, 157  
*Melissococcus pluton*, 23  
*Melocanna baccifera*, 103  
*Merops* spp., 208  
    *M. orientalis*, 161  
*Mesquites*, 214  
*Metasypryphus* sp., 76  
*Mimosa* spp., 241  
*Monticola rufiventris*, 54  
*Moringa oleifera*, 159  
*Morus*, 213  
    *M. alba*, 101, 213  
    *M. serrata*, 99, 102  
*Musea* spp., 76  
    *M. sapientum*, 107  
  
*Neocypholealaps indica*, 161  
*Nephelium*, 184, 186  
    *N. lapaceum*, 241  
    *N. litchi*, 159  
*Niger* van tieghem, 218  
*Nothofagus cliffortioides*, 20  
  
*Oecophyllus* sp., 161  
*Olea cuspidata*, 213  
*Opuntia* spp., 106  
*Origanum*, 186  
*Orthelia* sp., 76  
  
*Panicum*, 212  
*Papaver* spp., 160  
*Parkia roxburghii*, 103  
*Perovskia, abrotanoides*, 213  
    *P. alripticifolia*, 213  
*Phaseolus*, 212  
*Phoenix* spp., 105, 197  
*Pinus*, 20  
*Pistachio*, 212  
*Pistacia*, 212  
*Plantago*, 186  
*Plectranthus*, 95, 185, 186, 213  
    *P. coetsa*, 106  
    *P. geradianus*, 106  
    *P. rugosus*, 106, 159, 197, 213  
*Pogostemon* spp., 160  
*Polygonum*, 186  
  
*Populus* spp., 103  
    *P. detoides*, 101  
*Portulaca*, 213  
*Potentilla* spp., 107  
*Prinsepia*, 95, 186  
    *P. utilis* Royle, 107, 160  
*Prosopis* spp., 115, 213  
    *P. cineraria*, 213  
    *P. juliflora*, 213  
*Prunus*, 185, 186, 212, 214  
    *P. armeniaca*, 102, 103  
    *P. cerasoides*, 100, 159  
    *P. persica*, 100, 102, 104  
*Psidium guajava*, 159, 212  
*Punica grahatum*, 107  
*Pyrus*, sp., 159, 186, 212, 214  
    *P. communis*, 102  
    *P. malus*, 100  
  
*Quercus incana*, 100  
  
*Rhododendron anthopogon*, 21  
    *R. campanulatum*, 21  
    *R. cinnabarinum*, 160  
    *R. ferrngineum*, 21  
    *R. hirsutum*, 21  
    *R. ponticum*, 21  
    *R. thomsonii*, 21  
*Ricinus communis* L., 106, 212  
*Robinia*, 186  
    *R. pseudocicacia*, 100, 213  
*Rosa* sp., 186  
    *R. cericia*, 160  
*Rubus*, 186  
  
*Salix* spp., 103, 186  
*Salmalia malabarica*, 159  
*Salvia*, 186  
*Sapindus*, 186  
*Sava* sp., 76  
*Scrophularia*, 186  
*Shelfera venulosa*, 159  
*Solanum melongena*, 108  
*Solidago longifolia*, 159  
*Sorghum*, 184, 212  
*Stenolobium stans*, 213  
*Streptococcus pluton*, 245  
*Strobilanthes wallichii* Nees, 105  
*Syzygium* sp., 186  
    *S. cumini*, 159, 213  
  
*Tagetes payula*, 159

- Tamarindus*, 184  
*Tamarix*, 213  
*Taraxacum*, 186  
*Terminalia chebula*, 159  
*T. tomentosa*, 159  
*Thymus* spp., 106  
  
*Tilia*, 186  
  
*Toona*, 186  
*Trifolium* spp., 115, 186, 214  
  
*T. alenandrianum*, 197  
*T. resupinatum*, 197  
*Tropilaelsaps clarea*, 138–41, 161, 172,  
 188, 218  
 mite, 168  
  
*Varroa, javobsonii*, 138–41, 157, 161, 188,  
 208, 218  
 mite, 237, 254  
  
*Vespa*, 209  
*V. affinis*, 161  
  
*V. auraria*, 161, 188  
*V. basalis*, 188, 215  
*V. cincta*, 188  
*V. magnifica*, 188  
*V. mandarina magnifica*, 161  
*V. orientalis*, 42  
*V. tropica haematoedes*, 215  
*V. velutina pruthii*, 215  
*Viburnum* spp., 106  
*Vitex negundo*, 108, 213  
  
*V. pserdo-negundo*, 213  
*Vitis*, 212  
  
*V. vinifera* L., 108  
  
*Zea*, 184, 186  
  
*Z. mays*, 197, 212, 213, 241  
*Zizphus* spp., 60, 213  
  
*Z. hysudrica*, 196  
*Z. jujuba*, 196