

Index

I. GENERAL

- Abbas, 240
Absconding, behaviour, 12, 128, 210, 221, 232
Acanthaceae, 254, 274
Acarine disease, 105, 218, 219, 233, 238
Aceraceae, 254
Acupuncture, 19
Adey, 62
Adlakha, 54, 200, 207, 208, 212, 224
Afghanistan, 118, 130, 169, 170, 196, 221-22, 224, 312
Africa, 193, 248
African top-bar hives, 113, 114, 115
Agavaceae, 254
Agricultural Development Bank, 114
Agriculture, 2, 10, 17, 308
Aizoaceae, 274
Ahmad, 16, 93, 95, 97, 117, 118, 130, 213, 220, 221, 224, 239, 240
Akahira, 182, 184, 187, 189
Akratanakul, 245
Alam, 288
Alangiaceae, 274
Alarm pheromones, 231-32, 242
Alfalfa, 59, 61
Allahabad, 172, 209
All India Beekeepers' Association, 120, 121, 122
All India Khadi and Village Industries Board, 121, 122
Allotropic European honeybee, 2
Almora honey, 281
Alpatove, 172, 194
Altitudes, effect of, 42, 44, 182, 187
Amaranthaceae, 254, 274
Amaryllidaceae, 255
American foulbrood, 105, 238
Amino acid content, 141, 144
Anacardiaceae, 255, 274
Andaman islands, 182, 189, 239
Anderson, 63, 213
Andhra Pradesh, 281, 283
Anemophilous taxa, 282, 283
Angiosperm, 247
Animal husbandry, 17
Anjaneyalu, 296
Annonaceae, 274
Antenna, 173, 180, 182, 184, 244
Ants, 51, 56
Apiaceae, 255, 274
Apiaries, 120, 150, 159, 201, 218, 297 government, 43
Apiary Industrial Selection Committee, 121
Apicultural training & research, 316
Apiculture, 1, 3
and IRDP, 13-20
in mountain farming system, 5ff
and mountain crop productivity, 23-67
and mountain perspective, 10-12, 307-308
Apiculture
and oilseed production, 58
and pesticides, 62-67
practices, 109ff
status and economies of, 311
and vegetable seed production, 47, 57
Apitherapy, 19
Apocynaceae, 255, 274
Apple bloom, 41, 42
Apple blossom thrip, 62
Apple fruit, drop, 32-35
orchards, 17-18
pollination, 24, 29-46
quality, 35-37
yield and quality of, 31, 34

- Apple scab, 62
 Apricot, 49
 Aquifoliaceae, 275
 Arab Republic, 152
 Arai, 140
Araliaceae, 275
 Arecaceae, 255
 Arunachal Pradesh, 29
 Asclepiadaceae, 255, 275
 Ash values, 146
 Asia, 24, 237, 248
 Asian honeybees, origin, evolution and cytology of, 246-51
 Aso, 140
 Asteraceae, 255, 275
 Atkins, 63, 213
 Atwal, 46, 121, 201, 212, 210, 221, 223, 224, 225, 231, 233, 236, 284, 285
 Australia, 24, 93, 105, 106, 153, 218, 222
 Austria, 5
 Auxin, 37
- Bachmann, 112, 113, 115, 130
 Baluchistan, 47
 Balsaminaceae, 257
 Bamboo hives, 119
 Banerjee, 281
 Bangalore, 209, 298
 Bangladesh, 16, 69, 84-85, 86, 87, 88-91, 92, 106, 130, 153, 154, 291, 293, 312
 Bangaldesh Institute of Apiculture, 84
 Beard, 167
 Beck, 166
 Bee botany, 281
 Bee, colonies, 9, 14, 15, 27, 28, 63, 150 flora, 87
 genetic resources, 105
 "Bee dens", 93
 Beehives, types of, 124-25, 126-29, 312
 Beekeeping, 1, 6
 industries, 2, 23, 222, 253, 302, 303
 and social forestry, 302-305
 status and economics of, 69ff
 Beekeeping Training and Extension Support Project (BETRESP), 80
 Bee management, and apple orchards, 45-46
 Beeswax, 2, 3, 11, 15, 18, 23, 71, 75, 77-79, 84, 95, 101, 103, 105, 112, 160-63, 241, 305, 309, 313
 composition of single, 163
 specification for, 162
 Beetles, 52, 60
- Begoniaceae, 275
 Behaviour studies, 207-12
 Beijing, 151
"Beijing Royal Jelly", 166
 Benton, 166
 Berberidaceae, 257, 275
 Betulaceae, 257, 275
 Bhalla, 294
 Bhandari, 182, 184, 187, 189, 192
 Bhardwaj, 236
 Bhopal, 170
 Bhutan, 29, 99, 105, 109, 112, 130, 154-55, 158, 161, 224, 312
 Bignoniaceae, 275
 Bihar, 172, 246
 Bingham, 192
 Biocides, 11, 16, 65, 71, 311
 Biology and management, of *Apis dorsata*, 239-41
 of *Apis florea*, 244-45
 Biometrical indices, 173, 243
 Bisht, 128, 209, 297, 299
 Black currants, 49
 Blueberry, 49
 Bombacaceae, 257, 275
 Boraginaceae, 257, 275
 Botanical resources, 308
 Brassicaceae, 258, 275, 282
 Breadbear, 109, 112, 130
 Break Mushik, 283
 Breeding, 29, 193, 200, 201-207, 218
 Britain, 55
 Brood chamber, 166
 Brood comb, 110, 111
 Brood rearing, 43, 113, 209-10, 223-24, 225, 244
 BSCIC, 84
 Buckwheat, 62
 Bumblebees, 31, 49, 50, 52, 53, 56, 57, 60, 61
 Burgett, 238
 Burma, 105-106, 112, 119, 130, 222, 312
 Butler, 229, 247
- Cabbage, 56
 Cactaceae, 258
 Caesalpiniaceae, 258, 275
 Calcutta honey, 140, 144, 146
 Cambodia, 243
 Campanulaceae, 276
 Canada, 6, 9, 28, 55
 Cannabaceae, 259
 Cannaceae, 276
 Capital expenditure, 95, 96, 97, 98

- Capparidaceae, 259, 276
 Caprifoliaceae, 259, 276
 Carbaryl poisoning, 63
 Cardamom, 59
 Carrot, 57
 Cash flow projection, 74-77, 80, 82-83
 Cauliflower, 54, 56
 Cave hives, 119
 Celastraceae, 276
 Chanda, 283
 Chandran, 59, 285
 Channabasavanna, 59
 Chahal, 219
 Chaturvedi, 283, 284
 Chaubal, 281, 282, 283
 Chaudhari, 283, 299, 300
 Chauhan, 30, 31, 32, 33
 Chemical composition, of beeswax, 63
 of hive and food products, 19
 of royal jelly, 165
 Chemical treatment, 213
 Chenopodiaceae, 259, 276
 Cherian, 209, 296, 300
 Cherries, 49
 Chilli, 56
 China, 2, 15, 19, 69, 95, 98-99, 154-55, 163,
 165, 166, 167, 169, 196, 199, 217-18, 223,
 224, 228, 291, 308, 312, 313, 314, 315
 honey production and marketing in,
 146-51
 Chinese Academy of Agricultural Sciences,
 138
 Chinese Bee Resource Coordination Team,
 199
 Chinese *Apis cerana* beehives, 136, 137,
 138
 Chinese ten-frame hive, 135
 Chromatography, 292, 295
 Chromosome number, 248-49, 250, 251
 Citrus, 50
 Cizmark, 168
 Clay pot hives, 119
 Clovers, 25, 59, 61
 Cochlospermaceae, 276
 Coggshall, 160
 Coimbatore, 209, 299
 Colorado, 5, 9
 Collett, 300
 Colombia, 6
 Colour patterns, of *Apis cerana*, 192-93
 Comb building, 116
 Comb cells, 243
 Combretaceae, 260, 276
 Commelinaceae, 276
 Commercial beekeeping, 150, 151, 315
 Comstock, 247
 Consumption, of honey, 111, 152, 153, 158
 Convolvulaceae, 260, 276
 Cooperatives, 160
 Cosmetics, uses in, 152, 163
 Costs and returns, of *Apis cerana* and *Apis mellifera*, 71-73, 78-79
 of honey production, 71-73, 78, 79, 80, 86,
 92
 of honey and beeswax, 104
 Cottage industry, beekeeping as, 14, 70
 Cranberry, 50
 Crane, 5, 9, 27, 63, 114, 116, 140, 158, 291
 Crop pollination, 23, 27
 Crops in bloom, 28-29
 Cross-breeding, 193, 203
 Cross-pollination, 1, 2, 3, 12, 14, 23, 47, 54,
 58, 105, 215, 309
 Cucurbitaceae, 260, 276
 Cucurbits, 57
 CUSO, 84, 130
 Cyperaceae, 276
 Dade, 225
 Daly, 225, 227
 Dane, L., 120
 Dams, 109
 Darwin, 24
 Daticaceae, 276
 Deforestation, 11, 228, 308
 Deh-Feng, 289
 Delhi, 201, 209, 298
 Deodason, 285
 Deodikar, 26, 62, 144, 170, 200, 201, 247,
 248, 249, 250, 253, 280, 281, 284, 298
 Deviah, 58
 Dewan, 288
 Dhaliwal, 9, 54, 231, 233, 285, 293
 Dhano, 240
 Dilleniaceae, 276
 Dimshi, 289
 Dinabandhoo, 212, 213
 Dipsacaceae, 261
 Dipterns, 31
 Dipterocarpaceae, 276
 Diseases, 2, 84, 93, 119, 200, 211, 214, 215,
 216, 311
 and enemies, 212-14, 236-38
 Diwan, 241, 284, 294
 Djalal, 170
 Dogra, 212, 213, 294

- Drone bees, 184, 193, 242, 248
 Kashmere, 203
- Drug Abuse Control Program, 106
- Dulta, 31, 35, 36, 37, 38, 39, 40, 42, 43, 44,
 224, 226, 227, 228, 298, 299
- Dzierzon, J., 248
- Ebenaceae, 276
- Echigo, 293
- Eckert, 160
- Ecological condition, 55
- Ecophysiology of *Plectranthus* sp., 300-302
- Ecosystem services, 1
- Ecuador, 6
- Edwards, 233
- EEC, 151
- Egg-laying rate, 208, 209, 223, 236
- Egg production, pollen feeding and, 19
- Ehretiaceae, 276
- Elaeocarpaceae, 276
- Elliot, 167
- Employment, 14, 20, 302
- England, 212, 218
- Entomophilous crops, 23, 283
- Environmental health, 308
- Equipment, for honey-hunting, 110
- Ericaceae, 261, 276
- Ethiopia, 6
- Euphorbiaceae, 261, 276
- Europe, 106, 215, 237, 248
- European bee, See *Apis mellifera*
- European foul brood disease, 84, 105, 212,
 218
- Evolution and standardization, of *Apis cerana*, 121-22, 128, 138
- Export, of honey, 15, 147, 148, 151, 218
- Fagaceae, 261, 277
- Fahn, 293
- Fahrenhorst, 250
- Fanning behaviour, 228
- FAO, 105, 106, 152, 215, 222
- Fecundity, 214
- Fermentation, of honey, 139, 140
- Fernando, 170, 172, 182
- Fertility, 235-36
- Fertilizer, effect of, 16, 17
- Fieh test, 141, 144
- Fixed wall hives, 116-18
- Flacourtiaceae, 276
- Fletcher, 210
- Flies, 51, 52, 53
- Flight ability, 224-27
- Flight muscle, 225-26
- Flight range, 225
- Floral biology, and pollination requirements, 55, 56-57
- Floral calendars, 280
- Floral resources, 2, 228, 316
- Flordasun, 294
- Flowering period, 9
- Focke, 289
- Fodder crops, honeybee pollination and, 59
- Food production, 23
- Food security, apiculture and, 16-18
- Forage, 8, 27, 28, 54, 80, 106, 150, 200, 201,
 228, 242, 245, 280, 283, 284, 300
 behaviour, altitude and, 37-43, 44
 data, 299, 303
- Forests, 15
 conservation of, 1
 exploitation of, 10
- Fossil bees, 247
- France, 152, 161
- Free, 27, 31, 46
- Fresnaye, 193
- Fructose, 292, 295
- Fruit(s), crops, 285
 orchards, 2
 set, 34, 35, 46
- Fuchs, 229
- Fumariaceae, 276
- Fumigation, 213, 238
- Fungal spores, 300
- Fungicides, 62, 67
- Ganguly, 282, 283
- Gatoria, 219
- GATT, 147
- Genotypes, 200
- Gentianaceae, 262
- Geographic ecotypes, 193-99
- Geraniaceae, 262, 277
- Germany, 161
- Germplasm, 218, 315
- Ghatge, 244, 245
- Giri, 144
- Glucose, 292, 295
- "Godavari" movable frame hive, 130, 131,
 132, 133, 134
- Gooseberry, 50
- Gordon, 109
- Gong, 138
- Gowda, 54, 295
- Goyal, 55, 172, 184, 187, 189, 219, 223, 225,
 236, 285, 294, 299

- Granulation, of honey, 140
 Grapes, 51
 Grassland ecosystem, 1, 10, 11
 Green revolution, 16
 Grewal, 46
 Grossulariaceae, 277
 Groundnut, 58
 Guanhuan, 163, 165, 168
 Gupta, 47, 54, 238, 293, 294, 295
- Habermann, 167
 Habitat, 308
Halictus, 51
 Hamakawa, 300
 Hameed, 200, 224
- Haploid, 251
Haragsim, 293
 Harnander-Pacheco, 109
 Harrer, 110
 Harvesting, honey, 12, 113, 117, 119-20,
 152, 153, 158
 Heckman, 166
 Heinrich, 9
 Herbicides, 62
 Himachal Pradesh, 2, 6, 17, 25, 29, 30, 31,
 43, 47, 69, 70, 106, 120, 121, 129, 140, 182,
 189, 192, 196, 201, 202, 205, 207, 208,
 212, 215, 218, 219, 220, 221, 287, 288,
 290, 297, 300, 301, 303, 304, 311, 316
- Himachali bee, 174, 176, 178, 180
 Himalaya, 198, 210, 219
 Hindu Kush-Himalaya region, 1, 2, 3, 6, 10,
 11, 13, 14, 20, 23, 24, 27, 54, 56, 58, 62,
 99, 112, 117, 120, 130, 154-55, 159, 163,
 164, 170, 172, 212, 214, 216, 223, 224,
 233, 236, 239, 280, 300, 302, 303, 307,
 308, 309, 310, 311-15
 apple pollination in, 29, 46
 beekeeping industry in, 204
 status and economics of beekeeping in,
 69ff
- Hippocastanaceae*, 277
 Hive products, 1, 2, 14, 95, 139ff, 307, 313
 Hoarding behaviour, 228-29
 Hodgson, 166
 Honey, 75, 77-79, 139-60
 collection, 111, 112, 312, 313
 comb, 110, 111, 117
 demand for, 80
 dew, 139
 extraction, 69, 70, 84, 116, 120
 hunting, 78, 109-12
 physical characteristics of, 140-41
- processing, 158-59
 production, 7, 8, 11, 14, 45, 70, 146, 193,
 215, 229
 in Bangladesh, 153, 154
 in Bhutan, 158
 in China, 152
 in India, 152-53, 154
 in Nepal, 153, 154, 158
 in Pakistan, 153, 154
 resources, 3, 87, 169ff, 253ff, 314, 315-16
 types of 156-57
 yield, 201, 219, 223, 224, 240
- Honshu bees, 199
 Hornets, 93, 220
 Horticulture, 17, 30
 management technology, 71
 Hoshiba, 249
 Hymenopterons insects, 31
 Hussain, 170
 Hybrid plants, 26, 220
Hydrophyllaceae, 277
- Import, of honey, 152, 153
 Inbreeding, 203, 238-39
 ICIMOD, 307, 317
 Income, from beekeeping, 1, 2, 14, 55, 70,
 97, 98, 215, 220, 302
 India, 2, 14-15, 58, 69, 154-55, 156-57, 163,
 167, 170, 194, 203, 218-20, 224, 315
 beeswax in, 161, 162
 honey production in, 140, 152-54
- Indigenous bee, 170
 Indo-Malayan region, 219, 247
 Indonesia, 243
 Indore, 246
 Industrial uses, of beeswax, 163
 Integrated Rural Development (IRDP), 3,
 13-21, 308-309
 Insect pollinators, 24, 30-31, 33, 34, 59
 Insecticides, toxic, 62, 65-66
 Insemination, artificial, 239
 Installation costs, for beehives, 85, 95
 Institute of Apicultural Research (China),
 218
 Institute of Apicultural Sciences (China), 95
 Institute of Beekeeping (China), 138
 Instrumental insemination technique, 207,
 235, 236
 International Commission of Bee Botany,
 283
 International trade centre, 149
 Investment, and income from beekeeping,
 96-97, 307, 311

- Iridaceae, 262, 277
 Islamabad, 220
 ISI, 63, 122, 123, 129, 160, 312
 Isolation distance, and seed production, 55
 Iwada, 140
- Jagannadham, 172, 184, 187, 189
 Jain, 184, 187, 243, 245, 246
 Jalalabad, 118
 Jammu and Kashmir, 121, 129, 282, 284, 287
 Japan, 161, 187, 197, 314
 Japanese bee, 182
 Japanese honey, 140
 Japanese sophora, 293
 Java, 170, 197
 Jhajj, 299
 Joolikote Villagers' Hive, 121, 122, 128, 299, 312
 Jodha, 10
 Johansson, 9
 Joseph, 59
 Joshi, 54, 152
 Juglandaceae, 262
- Kafle, 80, 112, 291
 Kaftanoglu, 239
 Kahul, 120
 Kakkar, 54
 Kalimi, 141, 146
 Kandoria, 55
 Kangra, 58, 300
 Shivaliks, 287
 Kapil, 112, 122, 128, 172, 184, 187, 189, 192, 193, 200, 209, 241, 248
 Kapralova, 250
 Karnataka, 197, 242, 243, 282, 283, 284, 285
 Kashmir, 6, 25, 29, 47, 117, 182, 184, 187, 189, 192, 196, 207, 209, 296, 298, 301, 316
 Kashmir honey, 281
 Kashmiri bee, 174, 176, 178, 180
 Kathmandu, 80, 130, 158
 Kathmandu Agricultural Assistance Association, 114
 Kellogg, 109, 147, 169
 Kenyan top-bar hive, 80
 Kerala, 197, 283
 Kervliet, 289
 Kevan, 84, 130
 Khan, 16, 93, 170, 222
 Khesari plant, 287
 Khope hives, 80
 Kinnow pollination, 47
- Koeniger, 170, 216, 229, 247
 Kotmire, 283
 Kozin, 28, 28
 Kshirsagar, 172, 182, 184, 187, 189, 192, 193, 204, 212, 243, 244, 246
 Kulu, 47, 172, 218
 Kumar, 47, 55, 241, 287
 Kumari, 182, 184, 187, 189
 Kusangi, 249
- Labour cost, 71
 Ladakh, 116
 Lai, 229
 Laidlaw, 239
 Laigo, 170, 236, 242
 Lal, 170
- Lamiaceae, 262, 277, 300
 Langstroth hive, 69, 70, 94, 95, 122, 130
 Laos, 243
 Latif, 140, 141, 144, 145, 146, 157
 Lauraceae, 263, 277
 Lavie, 193
 Lavrekhin, 208
 Lecythraceae, 277
 Leelamma, 180
 Legs, of *Apis cerana*, 173, 176, 187-89
 Liliaceae, 263, 277
 Linaceae, 263
 Lindauer, 247, 249
 Litchi, 47, 51, 294
 Liu, 217, 223, 229
 Loganiaceae, 277
 Log hive, 105, 112-14, 116
 Longstroth hives, 100-101, 104
 Lotus honey, 281
 Louveaux, 280
 Low cost hives, 95, 102, 104
 Lucknow, 282
 Ludhiana, 172, 299
 Lyallpur, 209, 220, 242, 245
 Lytheraceae, 263
- Lazar, 294
- Maa, 169, 192, 193, 245, 246
 Machna, 293
 Mackesen, 193
 Madras, 172
 honey, 140, 144, 146
 Magnoliaceae, 277
 Mahabaleshwar, 280, 281, 284
 honey, 140, 144, 146
 Mahabel, 240
 Mahadevan, 200, 209
 Mahajan, 140, 141, 142, 143

- Maharashtra, 282
 Mahinche, 130
 Makhdoomi, 220, 288
 Malaysia, 152, 197
 Mallick, 140, 141
 Malnutrition, 18, 309
 Malpighiaceae, 277
 Maltose, 293
 Malvaceae, 264, 277
 Malyshev, 247
 Management technique, 314, 315
 Manchuria, 217
 Manipur, 182, 189
 Mann, 47
 Manning, 247
 Manzoor-ul-Haq, 47, 289
 Marantaceae, 277
 Marketing, of honey, 3, 70, 146-51, 152,
 154-55, 158-59
 Martin, 253
 Matel, 168
 Mathens, 144
 Mathpal, 109
 Mating, 200, 207-209, 235-36, 237
 flights, 209, 236
 signs, double, 208
 Matsuka, 169
 Mattu, 6, 129, 172, 180, 182, 184, 187, 189,
 192, 196, 298, 299
 Maul, 236
 Maurizio, 281
 McGregor, 27, 31, 46
 Mean survival time, 235
 Mean evaporation rate, 235
 Medicinal use, of honey, 3, 18, 20, 99, 139,
 149, 159
 of venom, 167
 Meliaceae, 264, 277
 Melissopalynology, 280
 Meves, 248
 Mexico, 6
 Michener, 9, 169, 247
 Migratory beekeeping, 80, 93, 218, 316
 Migratory swarming, 211
 Millen, 242
 Milne, 212
 Mimosaceae, 264, 277
 Minh, 146
 Mishra, 15, 241, 287
 Mites, 105, 220, 314, 315
 Mitre, 281
 Modern hive beekeeping, 12, 121-22
 Mohamed, 16, 85
 Mohana Rao, 287, 294
 Mohandas, 59
 Moisture content, 139, 140, 141, 146, 153
 Monoculture, 62
 Montgomery, 294
 Moraceae, 265, 278
 Moran, 239
 Morimoto, 172, 300
 Moringaceae, 265
 Morison, 225
 Moritz, 239
 Morphometrics, 172, 174-79, 199, 241-44,
 245-46
 of *Apis cerana*, 170-93, 196
 Morse, 106, 170, 222, 236, 242
 Mother colonies, 204
 Mountain beekeeping, 7
 Mountain crop productivity, apiculture and,
 23ff, 310-11
 Mountain farming system, apiculture in, 5ff
 Mountain perspective, apiculture and,
 10-12, 307-308
 Movable combs, 312
 Movable frame, hives, 8, 12, 80, 130
 Muhammed, 289
 "Multani mitti", 94
 Munjal, 167
 Murrell, 84, 130, 293
 Musaceae, 265
 Mustard, 58, 60
 Muttoo, 120, 121, 170, 218
 Muzzafor, 93
 Myrsinaceae, 278
 Myrtaceae, 265, 278
 Mysore, 172, 218
 Nachtsheim, 248
 Naim, 47, 201, 285, 296, 299
 Nair, 144, 281, 283, 285, 294, 295
 Nakamura, 119, 158
 Nandi, 240
 Narayana, 140, 284
 Narayanan, 170, 172, 182, 192, 193, 245
 Nash, 84, 130, 293
 National Agricultural Research Centre
 (Pakistan), 220
 Nector collectors, 37, 38, 39, 59, 253, 301,
 302, 304
 Nepal, 29, 69, 79-84, 86, 106, 109, 112, 113,
 114, 116, 119, 130, 152, 153, 154-55, 158,
 161, 172, 207, 243, 312, 317
 Nepali bee, 174, 176, 178, 180
 Nepali honey, 281

- Netherlands, 152
 "Newton hive", 69, 80, 85, 87, 90-91, 92, 120, 121, 122, 128, 130, 241
 New Zealand, 8
 Niger, 58
 North Borneo, 243
 North Eastern bee, 175, 177, 179
 North East India, 187, 197
 Nosema disease, 212, 214, 314
 Nouristan, 118
 Nurse bees, 64
 Nutritional value, of honey, 2, 3, 139
 Nutritional security, apiculture and, 18-20
 NWFP, 16, 93, 215, 216, 288, 314
 Nyctaginaceae, 278
 Nye, 193
 Nyein, 119, 130
- Off-season vegetable production, 55
 Ohio State University Agricultural Technical Institute, 106
 Oilseed(s), pollination of, 25, 26
 production of, and apiculture, 58
 Okada, 189, 197
 Okra, 57
 Oldroyd, 239
 Oleaceae, 278
 Olfactory sense, 228
 Olsson, 211
 Onagraceae, 265, 278
 Ono, 213
 Ooschmann, 113
 Open pollinated flowers, 35, 36, 37
 Orchard, and bee management, 42-43, 45-46
 Organophosphorus poisoning, 63
 Orissa, 284
 Oschmann, 138
 Oxalidaceae, 265, 278
- Packaging, 159
 Pactia, 118
 Padgaon, 283
 Page, 239
 Pager, 109
 Pakistan, 15-16, 29, 69, 70, 85, 87, 94-95, 96-97, 100-104, 106, 117, 118, 130, 144, 153, 154, 163, 196, 209, 215, 220-21, 224, 312, 315, 316
 Pakistan Agricultural Research Council, 94
 Pakistan honey, 145, 146, 156-57
 Palmae, 278
 Palwan, 243
- Panchabhavi, 58
 Pande, 47, 58, 141, 238, 244, 245
 Pant, 299
 Papaveraceae, 266
 Papilionaceae, 266, 278
 Pattanshrtti, 59
 Peach, 51, 293, 294
 pollination, 47
 Pear, 52, 293
 pollination, 24, 47
 Pedaliaceae, 267
 Pedigree colonies, 200
 Peng, 239
 Peper, 56
 Persimmon, 52
 Perti, 141
 Pesticide use, effect of, 30, 62-67
 Pests, and diseases, 119, 311
 Phadke, 47, 140, 144, 146, 160, 161, 201, 284, 285, 295, 299
 Pharmacological use, 18, 152
 Phenotypic characters, of *Plectranthus rugosus*, 301
 Philippines, 146, 169, 170, 293
 Physical characteristics, of honey, 140-41
 Physico-chemical analysis, of honey, 142, 143
 Pigmy bee, 170
 Pinaceae, 278
 Plant species, 292
 Plantaginaceae, 267
 Plumbaginaceae, 278
 Plums, 53
 Poaceae, 268
 Poisoning, of bees, 63-64
 protection against, 64-65
 Polemoniaceae, 278
 Pollen, 2, 3, 11, 15, 18, 99, 163-64, 253, 281, 313
 allergy, 164
 bombs, 25
 collecting behaviour of *Apis cerana*, 296-300
 Pollen
 collectors, 37, 38, 58, 301, 302, 304
 dispensers, 25
 'insert', 164
 load, 38, 39, 43, 282, 297, 298, 302
 minor, 281
 products, 19
 proteins, 19
 spectrum, of *Apis cerana*, 288-89
 stores, 200, 201
 trap, 164

- Pollination, 2, 14, 15, 17, 23, 26-29, 225, 245, 309
 agreements, 25
 of apples, 45-46
 ecology, 24-25
 of kinnow, 47
 of litchi, 47
 of pear, 47
see also Cross pollination
- Polygonaceae, 268, 278
- Poncini, 163
- Pondicherry, 182
- Popravko, 168
- Portulacaeae, 268
- Poverty, 309
- Prasad, 59
- Prasannakumari, 295
- Predators, 213, 216
- Premating flights, 207
- Prices, of honey, 158
- Primulaceae, 268
- Pringle, 225
- Private beekeepers, 43
- Production technology, 3
 of royal jelly, 165
- Profits, 72, 85, 95, 106, 311
- Progeny, 200
- Propolis, 3, 5, 11, 18, 95, 168, 309, 313
 "soap", 168
- PROSHIKA, 84
- Proteaceae, 268
- Protein-Energy Malnutrition (PEM), 309
- Pune, 182, 200, 201, 207, 218, 246
- Punicaceae, 269
- Punjab, 47, 210, 219, 220, 221, 236, 242, 285, 296
- Punjab Beekeepers Association, 120
- Punjab honey, 294
- Pusa, 285
- Puntsholing, 105
- Qayyam, 240, 288
- Qualitative character, 200
- Quality, of honey, 3, 148, 159
 of fruits, and pollination, 35-37
- Queen bee, 182, 184, 192, 201, 202, 207, 258
- Quetta, 47
- Races, of *Apis mellifera*, 194
- Raddish, 57
- Rahman, 170, 172, 209, 218, 220, 242, 245
- Rai, 47
- Raison, 120
- Raj, 287
- Ramachandran, 200, 209
- Rana, 41, 204, 205, 228, 230, 231
- Ranade, 172, 184, 192
- Rangarajan, 299
- Ranunculaceae, 269, 278
- Rao, 47, 55, 58, 282, 284
- Raspberry, 53
- Ratnam, 172
- Rathore, 80
- Rauf, A., 221
- Rearing, 200
- Reddi, 294
- Reddy, 200, 209, 294, 295, 299, 300
- Refugee beekeepers, 222
- Renting, of bee hives for pollination, 43-45
- Report of FAO, 161
- Report of International Trade Centre, 147
- Report of USDA, 149
- Reproductive system, 238
- Resedaceae, 278
- Resistance, to Thai sacbrood disease, 203-207
- Rhizophoraceae, 278
- Rhamnaceae, 269
- Ribands, 9
- Radi, 164
- Robbing behaviour, 232-33, 236
- Rock bee, 170
- Roepke, 243
- Roonwal, 241
- Rosaceae, 269, 278, 289
- Rowley, 293
- Royal jelly, 2, 3, 11, 15, 18, 19, 95, 98, 99, 165-66, 305, 313
- Rubiaceae, 270, 279
- Rural economy, 13, 14-16
- Russia, 208
- Rutaceae, 271, 279
- Ruttner, 129, 170, 172, 193, 194, 197, 199, 207, 208, 211, 211, 228, 236
- Sacbrood virus disease, 80, 71, 93, 203, 212, 238
 Thai, 84, 203-207, 220
- Sadruddin, 283
- Safflower, 58, 60
- Sagaramal, 283
- Sahi, 285
- Sainfoil, 59, 61
- Sakagami, 169, 182, 184, 187, 189, 229, 232, 233, 242, 243, 247
- Sakai, 169, 182, 184, 189

- Salicaceae, 271, 279
 Sanawar, 120
 Sandhu, 244
 Sapindaceae, 271
 Sapotaceae, 279
 Saraf, 201, 209, 284, 287
 Sarson, 60
 Sarwan, 287
 Satyanarayana, 285, 294
 Satvi, 241
 Saubolle, 112, 113, 115, 130
 Schneider, 170
 Schonie, 141, 146
 Schumacher, 149
 Scientific beekeeping, 30
 Scrophulariaceae, 272, 279
 Sebelien, 160
 Sechrist, 242
 Seed quality, 47, 55, 59
 isolation distance, and, 55
 Seeley, 9, 245
 Seethalakshmi, 283
 Selection studies, on *Apis cerana*, 200-201
 Self-sterile varieties, 24, 25
 Sen, 281
 Sesame, 58, 60
 Shah, 283, 287
 and Shah, 207, 209, 212, 285, 286
 Shahid, 16, 93
 "Shain", 300
 Sharma, 9, 46, 112, 117, 120, 170, 180, 182,
 184, 187, 189, 192, 200, 201, 207, 208,
 209, 210, 211, 212, 219, 223, 224, 249,
 281, 282, 287, 290, 293, 295, 296, 297,
 303, 304
 and Sharma, 200
 Shaw, 160
 Shikui, 289
 Shimla hills, 30, 31, 38, 120, 141, 143, 146,
 214, 225, 228, 287, 288-89, 290, 297, 298,
 299, 303, 304
 Shrestha, K.K., 80
 Sidappaji, 59
 Silver oak, 294
 Simaroubaceae, 279
 Sindhu, 245
 Singapore, 152
 Singh, 15, 47, 54, 112, 117, 146, 170, 172,
 180, 182, 184, 187, 192, 196, 197, 212,
 213, 218, 220, 224, 239, 242, 244, 245,
 283, 285, 295, 299
 and Singh, 285
 Singh, S., 120
 Small-scale beekeeping, 150
 Smith, 210
 Snodgrass, 160
 Social forestry, beekeeping and, 302-305
 Socio-economic upliftment, of farmers, 13,
 16
 Sohi, 287
 Soil erosion, 308
 Solan, 47, 54
 Solanaceae, 272, 279
 Solar wax extraction, 160
 Somatic cells, 250-51
 South Africa, 6
 South America, 210
 South India, 197, 211, 284, 296
 South Indian bee, 175, 177, 179
 Spermatozoa, 235, 236, 239, 249
 Speth, 114
 "squeezing method" of honey extraction, 69
 Sri Lanka, 152, 169, 182, 197, 216
 Srinagar, 172
 State Bureau of Standardization, 138
 Sterculiaceae, 279
 Sternites, of *Apis cerana*, 173, 178, 189-92
 Sting, 230
 Strawberry, 53, 288
 Strickland, 110, 158
 Subbareddi, 299
 Subsidies, 78
 Subsistence level, 5, 13
 Sub-species, 199
 of *Apis cerana*, 193-99
 Sucrose, 293
 Sugar content, 141, 144, 253, 292, 295, 296
 Suggestions, 159
 Sumatra, 197
 Summers, 110, 111
 Sunderban forests, 84, 153, 283
 Sunderban honey, 281
 Sunflower, 58, 60
 Suryanarayanan, 26, 62, 282, 283, 285, 297
 Suzuki, 293
 Svensson, 15, 16, 84, 85, 86, 109, 150, 153,
 217
 Swaminathan, 16
 Swanston, 22
 Swarming, 12, 200, 211
 Swat Valley, 117, 118
 Sweden, 28
 "Sweet revolution", 215
 Switzerland, 5
 Symplocaceae, 279

- Tamaricaceae, 280
 Tamil Nadu, 197, 285
 Tanda, 294, 295, 299
 Tang, 109, 147
 Temperature regulation, 233-35
 Temperate zones, 2
 Temple, G., 113, 114
 Terai, 79
 Tergites, 244
 of *Apis cerana*, 173, 178, 189-92
 Tetraploid, 249
 Tew, 106
 Tewari, 47, 54
 Thailand, 197, 243, 314
 Thai sacbrood disease, 84, 203-207, 220
 Thakar, 58, 152, 200, 201, 241, 242, 281,
 284, 285, 298
 Theaceae, 272, 280
 Theopastus, 24
 Thrips, 56
 Thymelaeaceae, 272
 Tibet, 109, 110
 Tiliaceae, 273, 280
 Tomato, 56
 Tonapi, 242
 Tongue, 242, 243, 246
 of *Apis cerana*, 172, 173, 178, 182
 Top-bar hives, 113, 114, 116, 312
 Top and side worker bees, 41-42
 Toxic honey, 111
 Trade, in honey, 1, 12
 Traditional and modern apiculture, 312
 Traditional beekeepers, 8, 69, 70, 112-20,
 153
 Traditional hives, 118, 119-20, 158
 Traditional honey hunters, 2, 240
 "Traditional top bar hives", 85, 86, 88-89, 92
 Traditional wooden log hives, 113
 Tranh, 164
 Travancore honey, 140, 144
 Trefoil, 59, 61
 Tripathi, 283
 Tropaeolaceae, 280
 Tsushima bees, 199
 Tulloch, 161
 Turkey, 8
 Turnip, 57
 Udaipur, 243, 246
 Uganda, 6
 Ulmaceae, 279
 UNICEF, 114
 United Kingdom, 161
 Uppin, 286
 Uricaceae, 279
 USA, 9, 28, 151, 161
 Uses, of beeswax, 163
 of honey, 149
 of pollen, 164
 of venom, 167
 USSR, 149, 151
 Ussuria, 170
 Uttar Pradesh, 25, 29, 47, 54, 121, 209, 282,
 283, 299
 Uttar Pradesh bee, 174, 176, 178
 Valli, 110, 111
 Varroa, mite, 84
 Vartak, 294
 Vegetables, pollination of, 25
 Vegetable seed production, apiculture and,
 47, 57
 floral biology pollination for, 56-57
 Venkata Rau, 242, 243
 Venkatasubbaya, 172, 242
 Venom, 11, 18, 19, 99, 166-67, 309, 313
 Venom sac, 167
 Verbenaceae, 273, 280
 Verhagen, 117, 118
 Verma, 6, 7, 28, 29, 30, 31, 35-45, 54, 59,
 71, 80, 105, 121, 129, 172, 182, 184, 187,
 189, 196, 201, 202, 207, 210, 211, 212,
 214, 215, 217, 220, 224, 226, 228, 233,
 234, 236, 237, 238, 239, 248, 298, 299, 300
 Vetch, 59, 61
 Vietnam, 243
 Villagers hive, 121
 Violaceae, 273
 Virus cluster, 212
 Vishwanathan, 240, 242
 Vitaceae, 273, 280
 Vitidaceae, 279
 Vitamin content, 141, 146
 Wadhi, 112, 158
 Wakhle, 295
 Wali, 201, 209
 Walker, 27, 63
 Wall (fixed) hives, 70, 118
 Wasps, 51, 213, 314
 Watersheds, 308
 Wax moths, 93, 111, 213, 238
 Weather conditions, 28
 Wen-Cheng, 291
 West Germany, 207, 208
 Western Ghats, 281

- Wheeler, 248
Whitcomb, 160, 245
Whiting, 248, 249
Wild cherry, 294
Wilson, 9, 247
Wings, 225, 244
 of *Apis cerana*, 173, 174-76, 184-87
Winston, 210
Winter management, of colonies, 214
Women and children, development of,
 20-21, 309
 literacy of, 21
Wongsiri, 149, 223, 224, 228, 293
Woodhouse, 109
Worker bees, 27, 187, 189, 194, 196, 228,
 241, 248
 hybrid, 203
Worker cells, 242
Woyke, 201, 207, 208, 210, 222, 224
Yadav, 47
Yield, pollination and, 46
Ye, 293
Yue-Zhen, 289
Yemen, 152
Yunnan, 243
Zaiji, 289
Zannat, 288
Zeuner, 247
Zhenning, 15, 98, 149, 218
Zhong, 293
Zingiberaceae, 280
Zygophyllaceae, 280

Index

II. SCIENTIFIC NAMES OF SPECIES

- Abelmoschus esculentus*, 264
Acarapis woodi, 212
Acacia sp., 87, 284, 287
 modesta, 288
 sinuata, 285
Acer spp., 254
Adhatoda vasica, 287, 291
 zeylanica, 254, 284, 295
Aegiceras sp., 283
Aesculus sp., 284, 285, 287
 indica, 272
Agave americana L., 254
Ageratum conyzoides L., 255, 285
Albizia sp., 87, 286
 lebbek, 264, 283
Allium cepa, 255, 263, 286, 293
 sativum, 255
Alnus sp., 281
 nepalensis, 283
 nitida, 257
Althaea rosea Cav., 264
Amaranthus sp., 283
 paniculatus L., 254
Amomum occuleatum, 286
Antigonon sp., 286
 leptipus, 285
Apanteles galleriae, 213
Apis cerana, 1, 2, 6, 7, 10, 14, 15, 16, 21, 25,
 28, 30, 33, 45, 46, 54, 58, 59, 69, 70, 71,
 79, 80, 84, 85, 87, 93, 98-99, 105, 106, 112,
 114, 115-20, 144, 146, 152, 153, 158, 164,
 166, 169, 170-215, 218, 221, 225-27, 229,
 233-34, 236-38, 242-43, 247, 250, 253,
 287-89, 291, 295, 296-300, 301-303, 311,
 314, 316
 abaensis, 199
 cerana, 194, 196, 199
 hainanensis, 199
 himalaya, 129, 194, 197
 indica, 40, 129, 170, 194, 197, 199
 japonica, 172, 182, 184, 187, 189, 194,
 197, 199, 213, 232, 233
 pernoi, 169
 skivoki, 199
 and mellifera, 223-39
Apis dorsata, 15, 47, 58, 79, 84, 87, 109, 144,
 145, 152, 153, 169, 170, 182, 184, 187,
 189, 192, 224, 225, 226, 227, 229, 239-44,
 247, 250
 laboriosa, 1, 12, 79, 109, 111, 112, 161,
 163, 312, 313
Apis florea, 1, 47, 58, 79, 84, 144, 145, 146,
 169, 170, 182, 184, 187, 189, 192, 224-27,
 242, 243, 244-46, 247, 250
Apis indica, 145, 170
Apis laboriosa, 7, 109, 111, 169, 243, 247
Apis mellifera, 1-3, 5, 9, 14, 15, 21, 25-27,
 30, 31, 40, 46, 47, 58, 69-71, 79, 87, 93-95,
 98, 99, 105, 113, 153, 158, 161, 163-66,
 168, 170, 172, 182, 184, 187, 189, 192,
 193, 204, 205, 207, 210, 215-22, 226, 228,
 229, 233, 234-38, 240, 242, 247, 248, 250,
 287, 291, 295, 299, 301, 303, 311, 313,
 314, 316
 adansonii, 194, 210
 capensis, 194
 carnica, 194, 218
 caucasia, 194, 217, 220, 222
 cypriaca, 220
 intermissa, 194
 lamarokii, 194
 ligustica, 172, 182, 194, 217, 218, 219,
 220, 222, 233, 235
 mellifera, 194
Arbutus unedo, 289
Archoria grisella, 213
Argemone mexicana L., 266
Artemisia maritima L., 255

- Asclepias curassavica* L., 255
Asphodelus sp., 282
 tenuifolius, 263
Aster spp., 256, 293
Azadirachta indica, 264, 284
Bambusa bambos, 268
Bauhinia sp. 287
 vahli, 259
 variegata, 258, 287
Berberis sp., 283, 284, 285, 286, 293
 lycium L., 257, 295
Betula, 287
Bidens spp., 256, 293
 pilosa, 286
Bombax, 283
 ceiba L., 257
Borassus sp., 281, 286
Brassica spp., 281, 283, 284, 285, 286, 287,
 288, 291, 293, 298
 campestris, 284, 287, 295
 juncea L., 258, 293
 napus, 258, 291
 var. *glaucia*, 258
 var. *toria*, 258
 oleracea, var. *botrytis*, 293
 var. *capitata*, 258
 rapa, 258
Brugmansia candida, 282
Bruguiera sp., 284
Butea monosperma, 266

Caesalpinia spp., 259
Cajanus cajan L., 266
Calamintha spp., 262
Calendula arvensis L., 256
Callistemon citrinus, 265
Caltha spp., 269
Campestris, 290
Cannabis sativa L., 259
Capparis himalayensis, 259
Capsicum spp., 272
Cardamine spp., 258
Cardus onopordioides Fisch., 256
Careya arborea, 286
Carissa carandas L., 255
 opaca, 220
Carvia callosa, 281, 282, 284, 294, 295, 298
Carthamus tinctorius, 256
Cassia spp., 259
Castanea sativa Mill., 261
Cedrela sp., 284, 293
 toona, 285, 291
Centaurea cyanus L., 256

Chenopodium spp., 288
 album, 259
Cichorium intybus L., 256
Chrysanthemum, 256
Cicer arietinum L., 266
Cirsium spp., 256
Citrullus vulgaris, 260
Citrus spp., 281, 282, 284, 287, 291, 293
Citrus, ...
 aurantifolia, 271
 limettoides, 271
 maxima, 271
 medica limonum L., 271
 reticulata L., 271
 sinensis L., 271
Clematis spp., 269
Coffea arabica, 285
Convolvulus arvensis L., 260
Coriandrum sativum L., 255
Corylus colurna Dence, 257
Cosmos spp., 285
 sulphureus Cav., 256
Crataeva religiosa, 259
Crotoloaria juncea L., 266
Crysanthemum spp., 256
Cucumis spp., 260
Cucurbita maxima, 260
Cuscuta reflexa Roxb., 260
Cynodon dactylon L., 268
Cynoglossum, 257
Cystiphora oleae, 285

Dalbergia sp., 87, 284, 285, 287
 sissoo Roxb., 266, 287, 290
Daphne oleoides, 272
Datura arborea, 281
 stramonium, 272, 282, 293
Daucus carota L., 255
Delonix regia Raf., 259
Dillenia sp., 286
Dispsacus inermis, 261
Dombeya mastersii, 287
Drypetes sp., 284

Echinops echinatus Roxb., 256
Ehretia sp., 284, 287
 acuminata R. Br., 257
Emlica officinalis, 261, 283, 285
Epilobium spp., 265
Eriobotrya japonica, 269, 290, 291
Erodium spp., 262
Eruga sativa, 258, 285

- Erythrina myosorensis*, 285
suberosa, 266
Eucalyptus spp., 87, 265, 283, 284, 286, 287, 291
globulus, 285
Eugenia spp., 282
Eupatorium spp., 256
Euphorbia geniculata, 281
royleana, 261
Eurya, 289.
- Fagopyrum* sp., 282, 284, 285, 286, 287, 291
sagittatum, 268
Ficus bengalensis, 239
religiosa, 240
Foeniculum vulgare Mill., 255
Fragaria spp., 287
vesca L., 269
Fraxinus sp., 87
- Galleria mellonella*, 213
Gaultheria fragrantissima, 261
Gentiana pedicellata, 262
Geranium spp., 262
Glochidiatum Wall., 257
Glycine max Merr., 266
Gossypium sp., 284, 287, 291, 299
arboreum, 264
Grevillea, 287
robusta, 268, 295
Grewia sp., 285
oppositifolia, 273
- Halictus*, 298
Helianthus sp., 287, 288
annuus, 256, 286, 291, 293, 298
Heracleum spp., 255
Heracleum concanense, 282
Hevea brasiliensis, 283, 284, 286, 292
Hibiscus cannabinus, 264
Holoptelea sp., 282
- Impatiens* sp., 285, 286, 287, 288
balsamina, 282, 295
glandulifera, 257
Indigofera spp., 266
Inula *cappa*, 256
Ipomoea sp., 283
Ipomoea batatas Lam., 260
kentrokaulos, 295
pulchella Roth., 260
Iris nepalensis Don., 262
Isodon rugosus, 283
- Jambosa munronii*, 285
Juglans regia L., 262
Justicia pubigera, 254
- Kalmia latifolia*, 289
- Lagenaria siceraria* L., 260
Lagerstroemia, 263
entada, 285
Lamium spp., 262
Lasiosiphon sp., 281
Leonurus cardiaca, 262
Lespedeza spp., 266
Linum spp., 263
usitatissimum, 282
Litchi chinensis, 287
Litsea polyantha Juss., 263
stockii, 282
Lobelia nicotianaeifolia, 282
Lonicera, 293
sempervirens, 259
Lotus corniculatus, 293
Luffa echinata Roxb., 260
Lycopersicum esculentum, 272
- Madhuca* sp., 286
Malus domestica Mill., 269
pumile Mill., 269
Malva sylvestris, 264
Mangifera indica, 239-40, 255, 283, 287
Medicago sp., 87, 282, 285, 287, 291, 298
sativa L., 266, 285, 291
Melilotus sp., 262, 282, 284, 286, 287, 291, 298
Mentha spp., 262
Mikania scandens, 256
Mimosa pudica, 264
Moringa oleifera, 265
pterygosperma, 284, 286
Morus spp., 265
alba, 284
Musa sapientum L., 265
Mussaenda frondosa L., 271
- Neocyphalaeps tropilaels*, 212
Nepeta spp., 262
Nephelium sp., 281, 287, 291
litchi, 272, 283, 285, 286, 291
Nicotiana tabacum L., 272
Nothopegia, 286

- Ocimum* spp., 262, 263
canum, 281
Odina woodier Roxb., 255
Olea dioica, 285
glandulifera, 286
Opuntia spp., 258
Origanum vulgare L., 262, 263
Oxalis sp., 283
corniculata, 265
- Panicum* spp., 87
Papaver spp., 266
Paracarym malabaricum, 281
Parkia roxburghii G., 264
Parthenocissus tricuspidata, 299
Phaseolus spp., 267, 287
Phlox drummondii, 284, 298
Phoeni spp., 255, 283
Phyllanthus acida, 261
Pisum sativum, 267
Plantago spp., 267, 268, 298
Plectranthus sp., 87, 284, 285, 286, 300-302
coetsa, 263, 300
gerardianus, 263, 300
rugosus, 263, 284, 285, 291, 295, 300
Polygonum spp., 268, 282, 285, 287, 293
chinensis, 282
Pongamia sp., 285
Portulaca glandiflora, 268
Potentilla sp., 270
Primula spp., 268
Prinsepia utilis, 270, 295
Prunus sp., 284, 285, 286, 287
amygdalus, 270
armeniaca L., 270
avium L., 270
cerasoides, 270, 295
domestica, 270, 285
persica, 294
pudum, 294
Psidium guajava, 265
Punica granatum L., 269
nana L., 269
Putranjiva sp., 282
Pymotes neferi, 212
Pyrostegia venusta, 295
Pyrus sp., 284, 285, 286
communis, 270, 285
pashia, 270
persica L., 270
- Quercus* sp., 261, 285
- Ranunculus arvensis*, 269
Raphanus sativus, 258
Rhododendron spp., 261, 285, 292
anthopogon, 291, 292
ponticum, 291
Rhus spp., 255
Ricinus communis L., 261, 284
Robinia sp., 285, 291
ambigua, 286
pseudoacacia L., 267, 286, 294
Rosa sp., 284, 285
macrophylla L., 270
moschata, 287, 288, 295
multiflora, 281
Rosmarinus officinalis, 263, 268
Rubus spp., 270
Rubus nivens, 286, 287
Rumex sp., 268, 284, 286, 287
Rungia parviflora, 254
- Salix* spp., 271, 284, 285, 287
Salvia, 263, 288
Sapindus spp., 272, 281, 283
detergens, 287
marginatus, 299
Scabiosa speciosa Royle, 261
Schefflera roxburghii, 296
Schima wallichii, 272
Scrophularia spp., 272
Senecio spp., 256
Sesamum indicum, 267, 282
Sesbania spp., 282
Shorea robusta, 287
Solanum, 272
Solidago longifolia Schrad., 257
Sonchus spp., 257
Sonneratia sp., 283
Sophora japonica, 293
mollis L., 267
Sorghum sp., 87
vulgare, 268
Stachys spp., 263
Strobilanthes wallichii, 254
Swertia spp., 262
Syzygium spp., 284
cumini L., 265, 283, 285, 286, 287
- Tagetes* spp., 257, 288
Tamarindus sp., 283
indica L., 259, 283
Taraxacum sp., 284, 287
officinale Weber, 257
Tecomia grandiflora, 294

- Terminalia arjuna*, 260, 284
 chebula, 260
Teucrium spp., 262
Thelepaedale ixiocephala, 284, 294, 295
Thymus spp., 263
Tilia sp., 273, 291
Toona, 287, 291
 ciliata M., 264
Trifolium spp., 220, 282, 284, 285, 286, 287,
 288, 289, 298
 alexandrinum, 267, 284, 285, 286, 288
 pratense L., 267
 repens L., 267
Trigonella spp., 267
Tropilaelaps, 222
 clareae, 218, 236
Tussilago farfara L., 257

Varroa, 222
 jacobsonii, 212, 218, 236, 238
Vernonia spp., 257, 285
Vespa orientalis, 216
Viburnum spp., 259
Vicia spp., 267
 sativa, 289
Viola sp., 287
 odorata L., 273
Vitex sp., 273, 291
 negundo, 283
Vitis vinifera L., 273
Wendlandia exserta, 271

Zea mays L., 268, 284
 vitex, 283
Ziziphus sp., 284, 291
 jujuba Lam., 269